

Allen Bradley (Rockwell)



Allen Bradley (Rockwell) marka ürünler Özhat tarafından Türkiye'ye paralel ithalat yöntemi ile ithal edilmekte ve siz değerli müşterilerimize en hızlı şekilde teslim edilmektedir Allen Bradley (Rockwell) ürünlerinden websitemizde ürün numarası yer almasa bile teklif isteyiniz ; en kısa sürede teklifimiz tarafınıza ulaştırılacaktır

Allen Bradley (Rockwell) Ürün Listesi

Referans	Tanım
(13/14 + 21/22)	auxiliary contact for pkz (1x opener +1x closer)
0054052.DOLD	Dold MK7850N.82/500 AC/DC12-240V, MULTIFUNKTIONSRÉLAIS 0,02S-300H 2 Zeiteinstellungen
02100524 1MF 300V DC	
F117x01 Art.-Nr. 07400015	Tesch Not-Aus-Relais F117x01, 24V AC/DC 3 SchlieÙer (Sicherheitskontakte), 1 Öffner (Meldekontakt),
07400015	Tesch Not-Aus-Relais F117x01, 24V AC/DC 3 SchlieÙer (Sicherheitskontakte), 1 Öffner (Meldekontakt),
07500013	TYP F15x03 24VACFNr 07500013 50/60Hz2S 250VAC/6AKom 26360 AC15 DC13
1 2 NC 1326	Sicherheitsschalter
100 S - F-	And further contact
100 S-F-25A - NICHT IDENTIFIZIERBAR!	contact
100-B250NB3	(CONTACTOR, IEC,250A, 440V 50HZ / 480V 60HZ)
100-C09D10	9 A 100-C Contactor
100-C09KF10	9 A 100-C Contactor
100-C12DJ01	
100-C12KF10	0 100-C Contactor
100-C12KY01	LeistungsschütZ 5,5KW/400V, 48V 50/60HZ CHE/8536419099
100-C16 - CAN'T ID.	contactor 110VDC 6A 230VAC 16A
100-C16B10	16 A 100-C Contactor
100-C16C01	
100-C16C10	16 A 100-C contactor
100-C16KF10	16 A 100-C Contactor
100-C23C10	23 A 100-C Contactor
100-C23D10	23 A 100-C Contactor
100-C23D10	Contactor 11 KW/400V 110V 50HZ / 120V 60HZ 8536490099
100-C23DJ10	23 A 100-C Contactor
100-C23KF10	

Referans	Tanım
100-C23N10	[Power contactor 11KW/400V 380V 50/60HZ 8536490099]
100-C30D00	30 A 100-C Contactor
100-C30KF00	
100-C37KF00	
100-C40UBP -> UNKNOWN MODEL	ELECTRIC CONTACTOR (COIL VOLTAGE 48V, 50HZ)
100-C43*00	Overload Contactor
100-C43KF00	
100-C72KF00	
100-C85KF00	
100-C97KF00	devre açıcı
100-D110 EZJ11	
100-D115KF11	CONTACTOR, 90 kW / 400VAC, CONVENTIONAL COIL 230V 50/60Hz, 1NO/1NC AUX. CONTACTS INSTALLED
100-D140A00	MCS CONTACTOR
100-D140EA11	
100-D140EZ J11 75KW	
100-D140EZD11	Schütz, 75KW/400V, Elektronische Spule 110-130V DC, dreipolig, Hilfsschalter 1 N.O. 1 N.C. 8536490099
100-D180A00	MCS Contactor
100-D420EA11	
100-D420ED11	
100-D420EZD11	kontaktör
100-D630EA11	
100-D95 EZJ11	
100-DS1-11	
100-F SERIE A	
100-FC22	2 Schließer und 2 Öffner Hilfskontakt
100-FKSC50	normaly open contact for contactor
100-FPTA30	time relay
100-FPTA30	Timing Module
100-FPTA30	PNOMATIC TIMING MODULES
100-FPTB30 (0-30 S)	PNOMATIC TIMING MODULES
100-K05ZS10	MCS-MINI CONTACTOR SCREW TERMINALS 2.2KW/400V COIL 125V DC 3 N.O. MAIN POLES 1 N.O. AUXILIARY CONTACT SINGLE PACK
100-KFC11	Auxiliary Contact
100-KFSV136	SUPPRESSOR MODÜLÜ
100-M09N-Z3-3 YERINE 100-K09ZS01	
100-MCA00	MECH. LATCH CZ/8538909999
100S-C43D14C	SICHERHEITSSCHÜTZ 22KW/400V, 1S/4Ö, SPULENANSCHLUß NETZSEITIG OBEN, 110V 50Hz / 120V 60Hz 8536490099

Referans	Tanim
101 231	POWER BOX
103 105	safety relay
103 872	MiniMax 79 Versorgungsspannung: 10-30 VDC - Ausgänge: NO/NC wählbar - 17 Elemente - 79 Lichtstrahlen - überwachte Höhe: 1.800 mm - Gesamtlänge: 2.100 mm - Reichweite: bis 3 m - SleepMode bei „Tür zu“
103564	
104794	
1100M-N1	SHIELD SAFETY ALLEN-BRADLEY 3.3 KV
113-006LQ - unknown product	Pipe 1/2" NPT x 3-1/2". For S19-310F Emergency Shower
11385-12283	control relays for abb medium voltage gear
1203-CN1	C OMMUNICATION OPTION CONTROLNET 24VDC
1203-SM1	SCANport SLC 500 Module
1203-USB	(SCANport/DPI/DSI USB Converter)
1326AS-B460F-21-K4	AC servo motor 9 Nm, 380 V: 3000 rpm, 460 V: 4000 rpm, brake 10.2 Nm, 24V DC
1336E-B030-AA-EN-L9E	IMPACT 30HP
1336E-B030-AN-EN-HA2-L8E	
1336E-BRF50-AA-EN-HA2-L7E + BRAKE PART# :1336-MOT-KB005	
1336E-BRF50-AA-EN-HA2-L8E - obsolete , no alternative	
1336E-BRF50-AA-EN-L5-HA1	
1336E-BRF50-AN-EN-HA2-L8E	DRIVE 5HP 380-480VAC/513-620VDC
1336E-BRF75-AA-EN	DRIVE 3PH IP:380/480VAC 540/650VDC OP:0460V 0-400H
1336F MCB SPME	Motherboard
1336-F1-SP203 - CAN'T BE IDENTIFIED	Fuse Bus 1336STEF(450A/700V)1336 Plus II, 450HP,460V
1336-F1-SP6A	FUSE BUS FRAME E 1336STG DE/8414598090
1336-FAN-SP1A	Fan 1336 STG Frame B & C DE/8414598090
1336F-BRF100-AE-EN	SERIES A AC DRIVE
1336-WB009 SER A	BRAKING CHOPPERINPUT-750V DC 9.0A DC
1336-WB035 SER A	BRAKING CHOPPERINPUT-750V DC 35.0A
1394-AM04	
1394-AM75	
1394C-SJT05-T-RL	ProgramLANAN TURBO RIO EKSEN LİNK
1394C-SJT22-D	
1394-SJT10-C-RL	
1394-SJT10-C-RL	
1398-DDM-030	Servo driver motor
1398-PDM-100 - not available	
140A-C2A-A16	Starter
140A-C2A-A63	motor protection switch
140A-C2A-B25	MOTORSCHUTZSCHALTER, 1,6-2,5A

Referans	Tanim
140A-C2A-B63	Starter
140A-C2A-C16	starter
140A-C-UXF	Undervoltage Release Module
140-CMN-6300	Leistungsschalter für Motorschutz 40...63A (Gewicht 2,016 kg) CH / 8536209090
140M-C2E-B16	
140M-C2E-C10	Birleştirilen motor koruma
140M-C2E-C16	
140M-C2E-C40 B THERE IS NO SUCH PART NUMBER	Circuit breaker
140M-C-AFA11	
140M-C-AFA11	Auxiliary Contact 1 NO and 3 NC auxiliary contact
140M-C-AFA20	Ön montaj için yardımcı iletişim 2 NO kontakları
140M-D8E-C16	140M Circuit-Breaker (cat 140M-D8E-C16)
140M-D8E-C40 B THERE IS NO SUCH PART NUMBER	Circuit breaker
140M-F8E-C16	LEISTUNGSSCHALTER, 10-16A 8536201090
140M-F8E-C25	LEISTUNGSSCHALTER, 18-25A 8536201090
140M-F8E-C25	140M circuit-breaker
140M-F8E-C32	140M circuit-breaker
140M-F8E-C32	140M circuit-breaker
140M-F8E-C32	LEISTUNGSSCHALTER 23 - 32A (Gewicht 0,826 kg)
140M-F8E-C45	140M circuit-breaker
140UE-H7E3-D10	Molded Case Circuit Breakers size H-160A, Icu / Ics 70/70KA, 415VAC, 3-pole T / M, IN 100A, Thermal adjustable IR = 0.8 .. 1.0 X IN, 80-100A / Magnetically hard IM = 10 IN X, 1000A DOM/8536209090
140UE-M5H3-D80	Kompaktleistungsschalter Baugröße M- 800A, ICU/ICS 50/50kA, 415V AC, 3 polig, mit Elektronischer Auslöseeinheit LSI, Langzeit-/ Kurzzeitverzögert, Unverzögerte
140U-H3C3-C70	
140U-J-RVM21B	ROTARY HANDLE MECHANISM
140U-K-EA2	
140U-KTD3-D40	şalter
1410-EOB50	HEATER, MOTOR-WINDING, 460V, 25-100HP RATING, 146.1 X 88.9 X 114.3MM, SOLID STATE, AUTOMATIC OPERATION.
1410-GOB59	Motor Winding Heater
1410-GOB59	Motor Winding Heater
1410-GOB59	HEATER,MOTOR-WINDING,460V/60HZ/200-400 HP,238.1x146.1x206.4MM APPROX DIMENSIONS
1485P-P2T5-T5	TAP COMMUNICATION LINE
1489-A2C050	UL489 5 A Miniature Circuit Breaker
1489-A2C150	UL489 15 A Miniature Circuit Breaker
1492-ACABLE025A	Pre-Wired Cables for 1746 Digital I/O
1492-ACABLE025B	Pre-Wired Cables for 1746 Digital I/O
1492-CABLE025H	Pre-Wired Cables for 1746 Digital I/O

Referans	Tanım
1492CB1H010 (NSPP)	1492 ENERGY LIMITING MINIATURE CIRCUIT BREAKER, 1 POLE, MAGNETIC
1492-IFM40F	
1492-IFM40F 2MT'LIK	Ürün kodlarını kontrol ediniz üretici bu ürünü tanımlıyamadı o yüzden fiyat sunamadı .
1492-RAIFM4-3	1746 Analog I/O Modules
1492-RIFM40D24A-2	Bulletin 1746 Digital 32-Point I/O Modul
1492-RTB20N	Compatible Removable Terminal Block RTB
1492-RTB8N	Compatible Removable Terminal Block -RTB
1492-SP1C010	MCB - Supplementary Protector 16 A
1492-SP2C020 - NO LONGER PRODUCED, NEW SERIES 1492-SPM2C020	Miniature Circuit Breaker (MCB) 2A, 2 Pol C2, 415 VAC, 1-25MM2, 2 4Nm
1492-SPM2C020	Circuit breaker, 2A, 2-pole, Tripping characteristic: C XX /
1492-XIM24-16RF	Expander with sixteen (16) 24V DC relays
1492-XIM4024-16RF	1746 Digital 32-Point I/O Modules
1494C-DN100-A5 - not available	disconnect switch
1494C-DN200-A5-B2 - not available	disconnect switch
150-C60NBD	SMC-3 60A 150 Mtr Ctrl
150-C9NBR	SMC-3 9A 150 Mtr Ctrl
150D51NBD	smc delta motor control relay
150-F480FBDB-3-6XP-8L-20C-HC3	SMC-Flex, Solid State Controller, NEMA Type 4/12 (IP65), 480 A, 200...400Hp @ 460V AC, Input Volt.: 200...480V, Control Volt.: 100...240V AC, Pump Control Option, w/ Hand-Off-Auto SS, w/ Circuit Control Transformer (add. 100VA), w/ Line-Mounted Prote
150-NFS	BULLETIN 825-MCM
1606-XL120D	Power supply, 85-256V AC/24V DC, 5A
1606XL120D (NSFP)	AAC/DC DINRAIL MOUNT POWER SUPPLY, 120 W, 24V
1606-XLE120E	POWER BOARD
1606-XLP 100E	power supply,nec class
1606-XLP100E	SWITCH MODE POWER SUPPLY 4.2A
1606XLP30B	In:100..240Vac out:10...12Vdc ayarlı
1606-XLS120E	Güç Kaynağı 120W Performans tipi
1606-XLS480E-3	1606-XLS 480 W power supply
1609-S	inverter
16BA 06NSF1P / SERIES C S/N: 1JAQ1KA8	motor drive, V:380VAC I:7A, F:50Hz/60Hz - S: 5600 VA
1715-A2A	
1715-A3IO	
1715-A3IO	
1715-AENTR	
1715-C2	
1715-IB16D	
1715-IF16	

Referans	Tanım
1715-OB8DE	
1715-OF8I	
1715-TADIB16D	
1715-TADIB16D	
1715-TADIF16	
1715-TADOB8DE	
1715-TADOF8	
1734-ACNR	POINT I/O ControlNet Network Adaptor
1734DIB8XOW8 -obsolete-replaced by 1734-ADN+1734-IB8+2 pcs of 1734-OW4	KART-NOKTA
1734-EP24DC	Nokta I / O 24V DC bara genişletme modülü
1734-IE2C	POINT I/O 2 Point Analog Input Module
1745-LP151 SLC 150	Eprom Memory Module (Pregame controller) CAT 1745-LP-151 with complete accesories and programmed completely
1746 IA16 115 VAC	
1746 ITB16	INPUT FUST DC SINK
1746 NR4	
1746-0A16	
1746-A10	ŞASI
1746-A13	SLC 13 Slots Chassis
1746-A4	SLC 4 Slots Chassis
1746-A7	
1746-C16	SLC 50 inch Interconnect Cable
1746-IA16	INPUT MODULE 8537109999
1746-IB16	dijital Input modül
1746-IB16	SLC 16 Point DC Input Module
1746-IB32	SLC 32 Point DC Input Module
1746-IM16	SLC 16 Point Digital Input Module
1746-IN16	SLC 16 Point 24V AC Input Module
1746-IV16	SLC 16 Point Digital Input Module
1746-L532	
1746-N04I	
1746-N081	
1746-NI16I	16BIT-ANALOG-EINGANGSMODUL, 4 - 20 mA
1746-NI16I	SLC 16 Point Analog Input Module
1746-NI4	SLC 4 Point Analog Input Module
1746-NI4	ANALOG-EINGANGSBAUGRUPPE
1746-NI4	ANALOG-EINGANGSBAUGRUPPE01
1746-NI4	
1746-NI8	ANALOG GİRİŞ MODÜLÜ
1746-NI8	

Referans	Tanım
1746-NI8	SLC 8 Point Analog Input Module
1746-NIO4I NO LONGER AVAILABLE	SLC 4 point Analog Current Comb Module
1746-NO4I	SLC 4 Nokta Analog çıkış modülü
1746-NO4I	SLC 4 Point Analog Output Module
1746-NO4I	SLC 4 Nokta Analog çıkış modülü
1746-NO4I	SLC 4 Nokta Analog çıkış modülü
1746-NO4V	SLC 4 Point Analog Output Module
1746-NO8I	
1746-NO8V	SLC 8 Point Analog Output Module
1746-NR4	TEM. PT100 SENSOR ASSEMBLY, 4 CHANNELS USA/8537109999
1746-NI4	thermocouple input module
1746-NT8	SLC 8 Point Digital Input Module
1746-OB16	SLC 16 Point DC Output Module
1746-OB16	SLC 16 Point DC Output Module
1746-OB32	
1746-OB32	24 VDC SOURCE OUTPUT MODULE
1746-OB32	SLC 32 Point Digital Output Module
1746-OB6EI	Conformal Coated 1746-OB6EI
1746-OW16	
1746-OW16	SLC 16 Point Digital Output Module
1746-OW16	RELAIS-AUSGANGSBAUGRUPPE 16X5-265V AC/5-125V DC MYS/8537109999
1746-OX8	SLC 8 Point Digital Output Module
1746-OX8	SLC 8 Point Digital Output Module
1746-P1	SLC Rack Mounting Power Supply
1746-P2	
1746-P2	SLC Rack Mounting Power Supply
1746-P3	
1746-P4	
1746-P4	POWER SUPPLY 8504409990
1746-P7	Powe Tedarik İçin SLC 500-12 / 24 DC
1746-IB32	
1747 - L553	
1747 ASB	
1747-SDN	
1747-1B16 - unknown product	Moduler in DC sinking
1747-ASB	MODULE STATION
1747-BSN	SLC RESERVE SCANNER MODULE US/8537109999
1747-BSN	
1747-C13	ÖZEL İŞLEMCİ LİNK KABLO AIC MODÜLÜ
1747-CP3	Programmierkabel
1747-L20B	UNIT PROCESSOR

Referans	Tanım
1747-L511	SLC 5/01 1K Controller
1747-L524	modül işlemcisi
1747-L532	SLC 5/03 ZENTRALPROZESSOR 16K SG/8537109190
1747-L532	SLC 5/03 16K Controller
1747-L532	
1747-L532 D 4	
1747-L541	SLC Controller Processor
1747-L541	SLC 5/04- central processor, 12K instructions / 16 K RAM, 960 I / O 8537109999
1747-L542	SLC 5/04 merkezi işlemci
1747-L542	SLC 5/04 32K Controller
1747-L543	
1747-L551	ETHERNET işlemci
1747-L551	
1747-L552	CPU Module 5.05 32K Ethernet Int.
1747-L553	SLC Controller
1747-L553	
1747-M2	SLC 4KB Memory Module
1747-MM1	
1747-OS302 A 9	
1747-SN	REMOTE E/A SCANNERMODUL
1747-SN	SLC Remote I/O Scanner Module
1747-UIC	USB TO DH485 INTERFACE CONVERTER
1747-UIC	UNIVERSAL SERIAL BUS (USB) TO DH-485 INTERFACE CONVERTER IND/8537109999
1756	BATTERY MODUL/BATM
1756 IM16	
1756 OA16	
1756-0B16E 10-31 VDC	
1756-1F8	
1756-A10	CONTROLLOGIX
1756-A17	ControlLogix 17 yuvası kartuş
1756-A4	ControlLogix şasisi
1756-A7	ControlLogix CHASSIS 7 SLOTS 1613 kg US/8537109999
1756-BA1	PILE
1756-BA11	PILE
1756-BA2	
1756-BA2	LOGIX5000 BATT ASSY-1756-L6X SER B ONLY
1756-CFM	Durchflussmesser 2 Kanäle mit 2 Ausgängen
1756-CN2R	CONTROLnet 2X Kapasite Köprüsü, Modül Yedekli
1756-CN2R	ControlNet 2X Capacity Bridge, Modul Redundant USA/8517620060
1756-CNB	ControlLogix Communication Module
1756-CNB	

Referans	Tanım
1756-CNB/D.	
1756-CNBR	CONTROLnet-KÖPRÜ, REDUNDANT
1756-CNBR	[ControlLogix Communication Module]
1756-CNBR/D.	
1756-CPR2	REDUDANT POWER SUPPLY CABLE
1756-DH485	CONTROLLOGIX DH485 COMMUNICATION MODULE USA/8471800000
1756-DHRIO	DH+/RIO-SANNER USA/8471800000
1756-DNB	
1756-DNB.	
1756-EN2TR	
1756-ENBT	ControlLogix ETHERNET KÖPRÜ MODÜL 10/100 Mbit / s (TP)
1756-ENBT	ControlLogix ETHERNET-BRIDGEMODUL
1756-ENBT	CONTROLLOGIX ETHERNET-BRIDGEMODUL 10/100MBIT/S (TP)
1756-ENBT	CONTROLLOGIX ETHERNET-BRIDGEMODUL 10/100MBIT/S (TP) 0.372 kg US/8517620090
1756-ENBT	
1756-ENBT	[ControlLogix Communication Module]
1756-ENET/B.	
1756-HSC	HIGH SPEED COUNTER
1756-IA32	32 INPUT MODULE INPUTS 79-132 V AC 0386 kg MY/8537109999
1756-IB16	GİRİŞ MODÜLÜ
1756-IB16 10-31 VDC.	
1756-IB16.	
1756-IB16D	ControlLogix 16 Point D/I Module
1756-IB32	32 kazmak ControlLogix giriş modülü. girişler
1756-IB32	10-31VDC INPUT 32 PTS 36 PIN
1756-IB32.	
1756-IF16	ControlLogix 16 Nokta A / I Modülü
1756-IF16.	
1756-IF16H	ANALOGUE INPUT-CURRENT/VOLTAGE 16 PTS 36 PIN
1756-IF4FXOF2F	[ControlLogix 6 Point Module]
1756-IF6I ISOLATED ANAOLUGE INPUT	
1756-IF6L	ANALOG INPUT MODULE
1756-IF8	8 analog ÇIKIŞLARI akım / gerilim
1756-IM16I	16 EINGÄNGE 159-265 AC ISOLIERT
1756-IM16L	
1756-IR6L	6 RTD - GİRİŞ, İZOLE
1756-IR6L.	INPUT MODULE
1756-L61	2MB hafızalı LOGIX 5561 CPU
1756-L61	ControlLogix 2 MB Memory Controller
1756-L61	Control Logix Processor 5561, 2MB Memory

Referans	Tanım
1756-L61	
1756-L62	(ControlLogix 4 MB Memory Controller ControlLogix® 4 MB Speicher Steuerung)
1756-L63	İşlemci ünitesi
1756-L71	ControlLogix5571
1756-L71	ControlLogix 2 MB Controller
1756-M02AE	ControlLogix Analog Motion Servo Module
1756-M02AE	ControlLogix Analog Motion Servo Module
1756-M08SE	güç modülü
1756-N2	KÖR PLATTE
1756-OB16D	16 TANI ÇIKIŞ 19-30V DC
1756-OB16E.	1756-OB16E/A
1756-OB32	ÇIKIŞ MODÜLÜ 32 ÇIKIŞ
1756-OB32	(ControlLogix 32 Point D/O Module)
1756-OF4I.	
1756-OF6CI	6 Point Isolated Analog Output, Current
1756-OF6CI ISOLATED ANALOGUE OUTPUT	
1756-OF8	8 analog ÇIKIŞLARI akım / gerilim
1756-OW16I	ÇIKIŞ MODÜLÜ 16 RÖLE
1756-OW16I.	
1756-PA72	GÜÇ KAYNAĞI
1756-PA72	NETZTEIL 120/240V AC
1756-PA75	ControlLogix AC Güç Kaynağı
1756-PA75R	85-265V AC REDUNDANT POWER SUPPLY
1756-PB75	19.2 - 32VDC NETZTEIL (5V @ 13A) MX/8504409090
1756-PSCA2	ŞAŞI ADAPTÖR İÇİN REDUNDANT GÜÇ KAYNAĞI
1756-RM - obsolete replacement is	
1756-RM2	system redundancy module
1756-RM	ControlLogix Red. Module
1756-RMC1	Cable for Redundant modules, 1mtr. CN/8537109999
1756-RMC3	1756RM MODULE FIBER CABLE - 3 METER
1756-SRM/B - UNKNOWN OR INCOMPLETE CODE.	module
1756TBCH	97297982 A01
1756-TBCH	ControlLogix 36 Pim Vidalı Terminal Bloğu
1756TBNH	97297881 A01 CARD PLUG
1756-TBNH	20 kutuplu bağlantı BLOĞU
1757-SRC3	CABLE POUR REDONDANCE
1757-SRM - obsolete with no replacement	MODULE DE REDONDANCE
1761-CBL-PM02	PROGAMMIERKABEL MICROLOGIX 2,0M,8 POL. MINI DIN AN 9POL. D-SHELLCN/8544499500

Referans	Tanım
1761-L20BWA-5A	Mikro denetleyici
1761L32BWA	
1761-NET-AIC	CONVERTER,INTERFACE,ADVANCED,RS-232-C/DH-485
1762-IF2OF2	
1762-IF2OF2	2 ANALOG INPUTS / 2 ANALOG OUTPUTS 8537109999
1762-IF4	MicroLogix 4 Nokta Analog giriş modülü
1762-IF4	4-CHANNEL ANALOG VOLTAGE / CURRENT INPUT MY / 8537109999 / EAR99 0,186 kg
1762-IQ16	
1762-IQ32T	MicroLogix 32 Point Digital Input Module
1762-IQ8	
1762-IR4	4 INPUTS PT100 / RESISTANCE MY / 8537109999
1762-L24BWA	MicroLogix 1200 24 Point Controller
1762-L24BXB	MicroLogix 1200 24 Point Controller
1762-L24BXR	
1762-L40BWA	MicroLogix 1200 40 Point Controller
1762-L40BXR	Programmable Controller ML 1200, 40 I / O Points
1762-OB16	
1762-OB8	
1762-OF4	MicroLogix 4 Nokta Analog çıkış modülü
1762-OW16	MicroLogix 16 Point Relay Output Module
1763-L16BBB	
1763-L16BWA	MicroLogix 1100, 120 / 240V AC 8537109199
1763-MM1	MicroLogix 1100 Memory Module
1766-L32BXB	MicroLogix 1400 32 Point Controller
1766-L32BXBA	MicroLogix 1400 32 Point Controller
1768-ENBT	
1768-ENBT/A.10/100MB	modul,ethernet/IP Interface modul
1768-L43	CompactLogix L43 Kontrolörü
1768-L43	CompactLogix L43 Controller
1768-PA3	power supply,5v/24vac input,118w,24vdc,250ma
1768-PA72 - NOT AVAILABLE	
1769 - IQ6X0W4	
1769-1Q16 OLC	
1769-ASCII	
1769-BA	1769 BATTERY ASSEMBLY
1769-CRL3	uzatma kablosu
1769-ECR	
1769-HSC. 1MHZ.5V	HIGH SPEED COUNTER MODUL
1769-IA16	CompactLogix 16 Nokta D / I Modülü
1769-IA16	CompactLogix 16 Point D/I Module
1769-IF4	

Referans	Tanım
1769-IF4	CompactLogix 4 Point Analog Input Module
1769-IF4	CompactLogix 4 Point Analog Input Module
1769-IF8	modül
1769-IQ16	
1769-IQ16	CompactLogix 16 Point D/I Module
1769-IQ32	
1769-IQ32	I / O modulCOMPACT LOGIX, MLOGIX 1500 to 32 digital inputs
1769-L31	modul,plc compactlogix cpu modulu
1769-L32E	CPU module CompactLogix RS232/Ethernet
1769-L32E	CompactLogix 750KB Controller
1769-L33ER	
1769-L35E	İşlemci Modülü
1769-OB16	
1769-OB16	CompactLogix 16 Point D/O Module
1769-OB16P	
1769-OB32	Açık / Açık Modülü
1769-OF2	
1769-OF8C	Açık / Açık Modülü
1769-OW16	
1769-OW16	CompactLogix 16 Point D/O Module
1769-PA2	CompactLogix Power Supply
1769-PA4	
1769-PB4	
1769-PB4	
1769-SDN	
1770-CD10	TWINAXIAL KABEL 305m / 1000 FT 8544598000
1770-CD3	Data Highway 300-300 ft Length Cable
1770-CD4	TWINAXIAL KABEL 122m / 400 FT
1771 IAN	
1771 NIS	
1771 NT1	
1771 OAD	
1771-ACN	1771 ControlNet 1.25 Adaptor Module
1771-ASB	RIO ADAPTER MODULE MX/8537109999
1771-DB	BASIC MODULE
1771-HSN/B IMC-120	SERVO CONTROLLER
1771-IAN	EINGANGSBAUGRUPPE, 32 EINGÄNGE 120V AC 0.907 kg MY/8537109999
1771-IFE	ANLOG GİRİŞ MODÜLÜ
1771-IFE	ANLOG INPUT MODULE MX/8537109999
1771-IFE	(1771 16 or 8 Point Analog Input Module)
1771/IL SERIES D	1000V 8 Point Analog Input Module

Referans	Tanim
1771-IV N/C MX/8537109999 10-30VDC EINGANGSBAUGRUPPE, 8 EINGÄNGE	electronic card
1771NOC	HIGH RESOLUTION ISOLATED ANALOG SERIES ELEKTRONİK KART
1771-OADC	ELEKTRONIK KART 96234271 A01 1771-OADC AC OUTPUT MODULE 10-138VAC
1771-OAN	Ausgangsmodul, 32 Ausgänge 120/220V AC 0.963 kg MY/8537109999
1771-OFE2	(ControlLogix 32 I Sinking Point Module)
1771-OVN	LOW-TRUE OUTPUT MODULE, 32 OUTPUTS, 10-30V DC
1771-VHSC	VERY HIGH SPEED COUNTER CARD SINGLE SLOT MOUNTING
1771-WHFB	CIKIS KARTI ON KONNEKTORU 1.5A-250V SIGTALI
1771-IT	DIGITALES EINGANGS MODUL 8 EINGÄNGE 12 - 24 VDC, EINGANGSVERZÖGERT MX/8537109999
1784-CF128	CompactFlash Card
1784-CF64	EEPROM MEMORY
1784-CP10	CABLE,SERIAL,COMMUNICATIONS
1784PCMC B	
1784PCMK B	
1784-PKTX	Data Highway Plus PC Card
1784-U2DH	Data Highway Plus Cable
1784-U2DHP	Veri Yolu Artı kablosu USB
1785-BCM	FOR AUXILIARY BOILER & HRSG BMS PLC SPARES FOR PROGRAMMABLE LOGIC CONTROLLERBACKUP COMMUNICATION MODULE
1785-L40B	
1785-L40B	PLC5/40B-SPS MIT 48KB SP., 2048 E/A 85371091
1785-L40L (1785-L40L / C (PLC-5/40) = stock)	PROCESSORS
1785-L80C15	PLC-5 ControlNet 1.5 Processor
1785-ME16	PLC-5 16 K Words Memory Memory Module
1785-MR	RAM MEMORY MODULE
1785-MS	RAM MEMORY MODULE
1786-BNC	
1786-RG6X10	BELDEN-T 3092A RG-G/U QUAD SHIELD 1C18 control net cable
1786-RG6X4	BELDEN-T 3092A RG-G/U QUAD SHIELD 1C18 control net cable
1786-RPA	1786-RPFS / RPFM İÇİN MODÜLER REPEATER ADAPTÖR İÇİN BAĞLANTI
1786-RPFM	FO MODULE FOR MIDDLE DISTANCES (MAX. 3 KM) 85371099
1786-TPR	
1786-TPS	DÜZ END CoaX T BAĞLANTI
1786-XT (pack x50)	75 ohm dirençli bir bağlantı
1788-CN2DN	CONTROLNET-DEVICENET COUPLER 8537109999
1791DS-IB8XOB8	(Guard I/O 16 Point Digital Comb Module)
1791-IOVW	
1791IOVW N807	I/O MODULE

Referans	Tanım
1791-N4V2	PLC-I/O UNIT
1791P-8B8P	ELEKTRONIK KARTY (PROFIBUS, 24VDC COMPACT BLOCK I/O 8 INPUTS/8 OUTPUTS DC POWER)
1794-OB16	ÇIKIŞ MODÜLÜ
1794-ACNR15	Flex CONTROLnet Adaptörü
1794-ADN	
1794-ADN.	
1794-AENT	Flex EtherNet/IP Adaptor
1794-ASB	RIO ADAPTÖRÜ
1794-IB10X0B6/A.	
1794-IB16	GİRİŞ MODÜLÜ
1794-IB16	INPUT MODULE, 16 INPUTS, 24VDC SG/8537109999
1794-IB16	Flex 16 Point Digital Input Module
1794-IB16/A.	
1794-IB8/A.	
1794-IE4XOE2	Flex 4 Input 2 Output Analog Module
1794-IE4XOE2	Analog Combo module 12 bit, 4 inputs, 2 outputs XXX/8537109999 1794-IE4 unidentifiable!
1794-IE8	8 analog giriş Modül
1794-IE8/B	
1794-IE8/B.	
1794-IF41	modul,24vdc source isolated analog 4 input
1794-IF41.	
1794-IF8IH	Analog Input Module, isolated individual channels. XXX/8537109999
1794-IF8IH	Analog Input Module, isolated individual channels. XXX/8537109999
1794-IM8	Eingangsmodule, 8 Eing.,240V AC
1794-IR8	Flex 8 Point RTD Input Module
1794-IR8/A.	
1794-OB16	
1794-OB16	Digital ausgang Modul
1794-OB16P	ÇIKIŞ MODÜLÜ
1794-OB8	Flex 8 Point Digital Output Module
1794-OE4	
1794-OE4	AUSGANGSMODUL, 12 BIT AUFLÖSUNG
1794-OF41	
1794-OF4I	ANALOG-AUSGANGSMODUL, 16 BIT AUFLÖSUNG, 4 ISOLIERTE EINZELKANÄLE. 8537109999 / SG
1794-OW8	OUTPUT MODULE, 8 RELAY OUTPUTS 8537109999
1794-TB2	
1794-TB3S	TERMINAL MODULE FOR THREE CONDUCTOR CONNECTION TECHNOLOGY (Spring-cage) 8536901090
1794-TBN	

Referans	Tanım
1794-VHSC	HIGH-SPEED COUNTER, 2 CHANNELS, 1-MHZ8537109999 / SG
1810VG02PSLL02A	
193 EA1 FB/B	
193-EA5GB	OVERLOAD RELAY/RANGE:12-32A
193-EB1EB	RELAY, THERM OL, THERM, 1.6 TO 5 A, 1NO1NCOOPERATION: THERMAL;FULL LOAD CURRENT: 1.6 TO 5 A;NUMBER OF POLES: 3;CONTACT RATING: 690 V AC;CONTACT ARRANGEMENT: 1NO1NC;ACTION: 2P1T;POWER SUPPLY: 690 V AC;ENCLOSURE: GENERAL PURPOSE;RESET: AUTOMATIC/MANUAL;TERMINAL: CAPTIVE SCREW;MOUNT: REAR;
193-ED1FD	Aşırı yük Röle
193-EEEE	E1 Plus 5.4-27.0 A Overload Relay
193-EF1 AZJ	
193-EF2AKN	ELECTRONIC MOTOR PROTECTION RELAY, PHASE LOSS / ASYMETRIESCHUTZ / PTC INPUT, HIGH CURRENT WARNING SETTING 20 .180 A, POWER SUPPLY 400V AC, selectable AUSLOESEKLASSE 2-30S 1288 kg CH/8536309099 CEFB1-11/12 is obsolete!
193-ESM-I-60A-E3T - not available	overload relay
194 E - A40 - 1753 B	LEISTUNGSSCHALTER 40A 8538909999
194E-A63-1753	base/DIN rail load switch
194L-E12-8251	
194L-E16-2503	
194R-HM4E	Red/Yellow Operating Handle, standard orientation with defeater DO/8538909999
194R-HS4E	Değiştirmek
194R-NE160-1753	194R Disconnect Switch, Open, Non-Fused IEC, 160 A, 3 Pole TN/8536508099
194R-NN030P34R2 - OBSOLETE. ALTERNATIVE 194R-N30-1753	SWITCH: DISCONNECT 30A FUSED FOR VSD 150-CC-001.
194R-NN060P34R1	SWITCH: DISCONNECT 60A FUSED SWITCH FOR VSD 150-CC-001.
194R-R8	Operating Shaft, 22.8 in (580 mm) FR/7326909890
195-MA04 YERINE 100-KFA04E	
195-MA22 YERINE 100-KFA22Z	
195-MA40 YERINE 100-KFC40	
195-MB22	
199-MSMD2 YERINE 100-KFSV136	
199-MSMV5 YERINE 100-KFSD250	
1A-5A THERMAL	
2090-CFBM4E2-CATR	Kablo Transferi
2090-CPWM4E2-14TR	MP-Series 0,5m Länge Übergangskabel MEX/8544429090
2090-UXNFBMP-S0	
2090-UXNFBMP-S30	MP-Series 30 m Length Feedback Cable
2094-BC02-M02-S	modül Kinetix
2094-BM01.S SER. B	SERVODRIVER - voltage: 400/460 V system, 9 A motor
2094-BM01-S	Servo modül / GÜVENLİK 400 / 460V 9A
2094-BM02-S	Servo modülü EKSEN W / GÜVENLİK 400 / 460V 15A FREK.ÇEV.

Referans	Tanim
2094-BSP2	SHUNT ELECTRICAL 200W CONTINUOUS, 22.5KW PEAK
2098-DSD-020	
2098-DSD-030	SERVO AMPLIFIER, 15A / 30A, ULTRA3000, Input 115 ... 230V AC, 3 KW
2098-DSD-030-SE	Ultra 3000 Servo Drive
2098-DSD-HV220-SE	Ultra 3000 Servo Drive
2099-BM01.S SER. B	SERVODRIVER - voltage: 380/480 - 300/750 VDC 73 A (peak sine motor)
20AC037A0AYNANC0 FREQUENCY POWERFLEX 70	400V, 3 ~, 37 A, 18.5 kW, IP20, EMC MX / 8504409090 / EAR99 Weight: 10,737 kg
20AC072A0AYNANC0	PowerFlex 70, 400V, 3PH, 72A, 37kW, EMC, IP20
20BC037A0AYNANA0	Powerflex 700 Cat No.20B Series :A Normal Duty Power:400V-18,5kW
20BC072A0AYNANC0	POWERFLEX 700 400V 3PH 72A 37KW IP20 EMC I/O VC, ATEX
20HIMA3	POWERFLEX MİMARİSİ SINIF HIM
20-HIM-A3	Bedieneinheit, Full Numeric LCD MX / 8537109999 0.140 kg
20-PP01080_obsolet	230W FR9 PowerFlex 700S
20-PP01080	230W FR9 PowerFlex 700S
2100-BK05	Empty Unit Insert, , (Allen-Bradley, 2100-BK05)
2100-BK10	Empty Unit Insert, , (Allen-Bradley, 2100-BK10)
2100-BK35	Empty Unit Insert, , (Allen-Bradley, 2100-BK35)
2100-NGIZT10/05	Door, mcc switchboard panel 0.5 space factor approximate height: 165.1mm approximate width: 396mm Blank door for spare cubicle including Accessories for fixing door to mcc switchboard to be compatible with mcc switchboard Serial no: 2100-ngjzt10/05 Circe ref no: 01278598/06 Color: gray (as per referenced switchboard) Switchboard type: centerline 2100
2100-NK25	Empty Unit Insert, , (Allen-Bradley, 2100-NK25)
2113B-BAN-3-4GR-6P-7FEED- 40CA-90-9111	7.5 HP Full Voltage Non-Reversin Starter w/CB, , (Allen-Bradley, 2113B-BAN-3-4GR-6P-7FEED-40CA-90-9111)
2113B-CAN-3-4GR-6P-7FEEF- 42CA-90-9111	15 HP Full Voltage Non-Reversing Starter w/CB, , (Allen-Bradley, 2113B-CAN-3-4GR-6P-7FEEF-42CA-90-9111)
2113B-CAN-3-4GR-6P-7FEEF- 43CA-90-9111	20 HP Full Voltage Non-Reversing Starter w/CB, , (Allen-Bradley, 2113B-CAN-3-4GR-6P-7FEEF-43CA-90-9111)
2113B-CAN-3-4GR-6P-7FEEF- 44CA-90-9111	25 HP Full Voltage Non-Reversing Starter w/CB, , (Allen-Bradley, 2113B-CAN-3-4GR-6P-7FEEF-44CA-90-9111)
2113B-EAN-3-4GR-6P-7FEEH- 49CA-90-9111	75 HP Full Voltage Non-Reversing Starter w/CB, , (Allen-Bradley, 2113B-EAN-3-4GR-6P-7FEEH-49CA-90-9111)
2113B-FAN-3-4GR-6P-7FEEJ- 50CA-90-9111	100 HP Full Voltage Non-Reversing Starter w/CB, , (Allen-Bradley, 2113B-FAN-3-4GR-6P-7FEEJ-50CA-90-9111)
2113B-ZAN-3-4GR-6P-7FEEC- 36CA-90-911	1.5 HP Full Voltage Non-Reversing Starter w/CB, , (Allen-Bradley, 2113B-ZAN-3-4GR-6P-7FEEC-36CA-90-911)
2113B-ZAN-3-4GR-6P-7FEED- 38CA-90-911	3 HP Full Voltage Non-Reversing Starter w/CB, , (Allen-Bradley, 2113B-ZAN-3-4GR-6P-7FEED-38CA-90-911)
2113B-ZAN-3-4GR-6P-7FEED- 39CA-90-911	5 HP Full Voltage Non-Reversing Starter w/CB, , (Allen-Bradley, 2113B-ZAN-3-4GR-6P-7FEED-39CA-90-911)
2193F-AKC-32CM-98X	30A Trip - 3-Pole Feeder Circuit Breaker, , (Allen-Bradley, 2193F-AKC-32CM-98X)

Referans	Tanim
2193F-AKC-32CM-98X-99X	30A Trip - 3-Pole Feeder Circuit Breaker, , (Allen-Bradley, 2193F-AKC-32CM-98X-99X)
2193F-AKC-40CM-98X-99X	100A Trip - 3-Pole Feeder Circuit Breaker, , (Allen-Bradley, 2193F-AKC-40CM-98X-99X)
2193F-BKC-42CM-98X-99X	150A Trip - 3-Pole Feeder Circuit Breaker, , (Allen-Bradley, 2193F-BKC-42CM-98X-99X)
2193FT-DKC-46CM-98X-99X	250A Trip - 3-Pole Feeder Circuit Breaker, , (Allen-Bradley, 2193FT-DKC-46CM-98X-99X)
2193MT-GKC-56CM-80C750	1200A MCB - Main Circuit Breaker, , (Allen-Bradley, 2193MT-GKC-56CM-80C750)
22610-101-02-R - NOT AVAILABLE	FAN: CARAVEL 115V, 550 CFM FOR VSD 150-CC-001.
22A-A2P3N104	PowerFlex 4 0.4 kW (0.5 Hp) AC Drive PowerFlex® 4 Frequenzumrichter
22A-B4P5N104	Frequenzumrichter PowerFlex 4, 200-240V, 3Ph, 4.5A, 0.75 kW, IP20, Frame A 8504409090
22A-D1P4N104	FREQUENCY, POWERFLEX 4 400-480V, 3 ~, 1.4A, 0.37 kW, IP20, DIMENSIONING A 8504409990
22A-D2P3N104	
22A-D4P0N104	FREKANS, POWERFLEX 4
22A-D8P7N104	Frequenzumrichter,3.7 kW (5 Hp),480V AC Eingang,50 Hz/60 Hz,Dreiphasig,8.7 A,IP20/NEMA,Offen,B Baugröße,Schaltschrank Montage,ohne Filter - mit Standardbremse
22A-D8P7N104	Frequency inverter POWERFLEX 4 3PH 400-480 V 8.4A 4.0 KW IP20 FRAME B
22B-A5P0N104	FREQUENCY, POWER FLEX 40 230V, 1 ~, 5.0A, 0.75 kW, IP20, Frame B CN / 8504409090 2120 kg
22B-A8P0N104	FREQUENCY INVERTER, POWER FLEX 40 230V, 1 ~, 8.0A, 1, 5 kW, IP20, Frame B 8504409990
22B-D010N104	POWERFLEX40 4KW.
22B-D010N104	Frequency inverter 480V POWERFLEX 40 3PH 10.5A 4 KW IP20 FRAME B
22B-D012N104	FREQUENCY INVERTER, PowerFlex 40, 400-480V, 3 ~, 12.0A, 5.5kW, IP20, Frame C 8504409090 / CN / EAR99
22B-D017N104	POWERFLEX 40 7.5KW
22B-D6P0N104	FREQUENZUMRICHTER, POWER FLEX 40 480V, 3~, 6.0A, 2.2KW, IP20, BAUGRÖßE B CN/8504409990 2.236 kg
22F-A011N113	Frequency inverter POWERFLEX 4 M, 200-240V, 1PH, 2.2KW, 11A, EMC Filter
22F-A4P2N113	Frequency inverter POWERFLEX 4 M, 200-240V, 1PH, 0.75KW, 4.2 A, EMC Filter
2320157 - NOT AVAILABLE	
24VDC FUSED OUTPUT 1794 0BBER THERE IS NO SUCH PART NUMBER	DP Output
25172-551-04 - NOT AVAILABLE	FUSE:4E CPT FUSE FOR VSD 150-CC-001 PRIMARY CONTROL POWER TRANSFORMER FUSE
2705-K11C2	KEYPAD,REDIPANEL,OPERATOR INTERFACE,CONSOLE DISPLAY,SATURN 20 SOLAR GENERATOR
2706B21J16 NNB	
2711-B5A10	

Referans	Tanim
2711-B6C20	TERMINAL OPERATOR
2711-B6C8	
2711C-K3M	DISPLAY MESSAGE CENTER
2711C-K3M	Industrial display. Panelview C300 3 inch; monochrome key
2711C-T10C	PanelView Comp C1000 Graphic Terminal
2711-K10C1L1	PanelView standard terminal
2711-K14C8 SER: B REV:F FRN:4.41	Panelview 1400 DH+ İnsan Makine Arayüzü
2711-K5A2	pourtier touch panel KSA2 PANEL VIEW550
2711P-K10C4A8	PanelView Plus 6 Graphic Terminal, Ethernet RS232, 120V/240 V AC US/8537109999
2711P-K10C6A1 - OBSOLETE, ALTERNATIVE 2711P-K10C4A8	PV PLUS 1000, KEYPAD
2711P-K4M20D	PANELVIEW PLUS 400 GRAYSCALE,KEYPAD, ETHERNET, DC PS, INCL RS232 & USB, 32MB FLASH/64MB RAM
2711P-RDB10C	PV PLUS 1000 KEY/TOUCH SCREEN DISPLAY MODULE
2711P-RDT10C	
2711P-RN10H	HABERLESME KARTI DEVICENET KONTROL PANELI PANELVIEW PLUS
2711P-RP1	
2711P-T10C4D8 (REPLACEMENT FOR 2711P-T10C4D1)	PanelView Plus 6, 10 inch, color, Touch screen, standard communication (Ethernet and RS-232), DC USA/8537109999
2711P-T15C4A8	PanelView plus terminal
2711P-T15C4A8 (REPLACEMENT FOR 2711P-T15C15A2)	PV PLUS 6 1500, TOUCH, ETHERNET, AC 5630 kg US/8537109999
2711P-T15C4D2	PanelView Plus Terminal
2711P-T6C20D	PanelView artı terminali
2711P-T6C20D8	panelview
2711P-T6C3D	PV PLUS 600 COLOR TOUCH DH485 DC PS INCL RS232 ETHERNET & USB 32MB FLASH/64MB RAM
2711P-T6C5D	2711 PANELVIEW PLUS 6 TERMINAL,600 MODEL,TOUCH SCREEN,COLOR RS- 232 COMMUNICATION ONLY,DC INPUT,WINDOWS CE 6.0
2711P-T6M20A8	PanelView Plus 6 Graphic Terminal Standard, TFT Grayscale, Ethernet und RS232, 85...264V AC, 47...63 Hz 8537109999
2711P-T7C4D1	complete set: with model cat 2711P-RP1 ser F and assembled terminals 2711P- T7C4D1 ser A
2711P-T7C4D8	PanelView Plus 6 Terminali, 700 Modeli
2711-RP1 - obsolete, no replacement.	PANEL VIEW PLUS LOGIC MODULE W/32MB-F, COMPLETE WITH FLASH CARD 64MB
2711-T14C9 - UNKNOWN / WRONG PART NUMBER - NOT AVAILABLE	PANEL VIEW 1400, TOUCH SCREEN ,RS32 (DH-485)
2711-T5A16L1 obsolete	PanelView 550
2711-T6C2L1	
2866763 - NOT AVAILABLE	

Referans	Tanim
2866776 - NOT AVAILABLE	
3.7A-12A THERMAL	
39251186 - UNKNOWN PRODUCT.	INTERLOCK, MECHANICAL SERIES B TYPE A00, INSTRUMENT AIR COMPRESSOR, INGERSOLL RAND ROTARY COMPRESS, TAG K-0704A & U-0602A,
41391-454-01-B1FX	SMC-FLEX PUMP CONT MOD
42CA-D1MPAJ-A2	Cylindrical Photoelectric Sensor
42EF-D1RCAK-A2	Photoelectric sensor RIGHTSIGHT STANDARD length of the response to 500 mm/21.6 - 264 VAC/DC, NPN 2 m cable
42EF-D8JBC-F4	1.2.1004 SENSOR
42EF-G1MPA-A2	
42GLP-9000-QD	TRANSMITTER OPTIC SENSOR , RANGE: 1.52M, TENSION: 10-40VDC PHOTOSWITCH
42GRL-9000-QD	Series 9000 Photoelectric Sensor
42GRR-9000-QD	Series 9000 Photoelectric Sensor
42GRU-9202	Series 9000
42SML-7110	PHOTOSWITCH Photoelectric Sensor, 7000 Series, Transmitted Beam, Visible Red LED, None (transmitted beam light source), 3m (9.8ft) cable DO/8536508099
42SRP-6002-QD	STANDARD DIFFUSE SENSING RANGE 760 MM 10 - 30 VDC LIGHT OPERATED QD 4 PIN MICRO
4-3KMZ-TYPE 1	SAFETY SWITCH LIFELINE
440 F – M 2020BYNN	(100cm*100cm)
440 K-T 11118 YENI MODELDIR.	7158g. Trojen 5
440A-A09015	
440A-A09056	
440A-A17102	
440A-A19001	
440E-A17028	
440E-A17112	SAFETY EQUIPMENTS
440E-L13042	
440E-L13042	Guardmaster Cable Pull Switch
440F-A0116	CONNECTION BOX
440F-A1301	Steckverbinder und Kabel 1m
440F-A1302S	SAFEDGE SICHERHEITSLEISTEN PROFIL ABSCHLUSSKAPPE E PDM MATERIAL
440F-A1308	Abschlußstecker, Widerstand 6kOhm (gelb)
440F-A2450	Kabel,Gewickelt,Safedge™ Edge 25M
440F-C251D	
440F-C251D	
440F-C252D	EDGE Guardmaster
440F-E0110N05	SAFETY EDGE PROFILE
440F-EHBSV02750	Safety switch/ 5m cable length,6K OHM 2750MM
440F-HFSYS004	SafeEdge System 7616999090

Referans	Tanim
440F-R1214	Safedge Sicherheitsleiste C-Schiene C112 /A2 Aluminium Länge 2m
440G-A27011	GD2 - Standard actuator 8538909999 / GB
440G-A27011	Rockwell 440G-A27011 / GD2 STANDARD ACTUATOR, LOCK SWITCH FOR PROTECTION TLS GD2 STANDARD ACTUATOR
440G-A27011 / GD2 STANDARD ACTUATOR	VERRIEGLUNGSSCHALTER FÜR SCHUTZVORRICHTUNGEN TLS GD2 STANDARD BETÄTIGER
440G-A27011 TLS GD2	(Rockwell VERRIEGLUNGSSCHALTER FÜR SCHUTZVORRICHTUNGEN STANDARD BETÄTIGER 8538909999 - CN - 0,04 kg)
440G-A27143	GD2 - FLEXIBELER BETÄTIGER DOM/8538909999
440G-A27143 TLS GD2	
440G-A27143-TLS-GD2	
440G-M3NBDGAC	[440G-MT Guardlock Switch]
440GS36001	güvenlik anahtarı
440G-T27121	(Guardmaster 440G-T27121 TLS-1 24V AC/DC M20 GD2, / alt 27122 Verriegelungsschalter für Schutzvorrichtungen TLS1 GD2 2OEFF Hilfskontakt 1S 24V AC DC, MAGNETKONTAKTE 1OEFF 1S M 20 ohne Betätiger >>> Nachfolger von 440G-T27122<<< > Ztn: 8536508099, DO)
440G-T27121	SWITCH
440G-T27121	Muhafız Kilitleme Anahtarı
440G-T27123	GUARD SWITCH TLS-1 GD2 230V AC/DC POWER TO RELEASE M20
440G-T27123	(Rockwell 440G-T27123 TLS-1 230V AC M20 GD2, Verriegelungsschalter für Schutzvorrichtungen TLS1 GD2 Sicherheitskontakt 2Ö Hilfskontakt 1S 230V AC DC Magnetkontakte 1Ö1S M20)
440G-T27127	
440G-T27127	Sicherheitszuhaltung, TLS-2 GD2, 24V AC/DC M20 8536508099 / DO
440G-T27134	Sicherheitzuhaltung TLS-3 GD2, 24V AC/DC 3xM20 4Ö/1S 8536508099
440G-T27143	ACTUATION
440K-C21061	SICHERHEITSSCHALTER, VERSCHLUSS
440K-E33041	Guardmaster Tongue Interlock
440K-E33041	
440K-MT55038	Tongue Interlock Switch MT-GD2 440
440K-T11089	Guardmaster Truva 5 Dil kilitleme
440K-T11090	TROJAN5 UNIVERSELLER SICHERHEITS- SCHALTER MIT BETÄTIGER, 2Ö / 1S, M20 DO/8536508099
440K-T11303 SERR 2NC 0625 301 174	
440K-T11389	Reed switch Trojan T15 GD2 introduction from the front Secure Contact 2OEFF awareness, standard actuator QD, DO/8536508099
440N -S32014	Rockwell 440N-S32014, SIPHA S11 3MTR HEAD AND ACT, BERÜHRUNGSLOSE
440N-A02057	Actuator for Ferrogard GS1 & GS2, Epoxy-painted
440N-G02008 NEW VER.	110V AC FS1= 250 mA FS2 = 2 A
440N-G02014	BLUEPRINT FERROGUARD SAFETY SWITCH 250V AC 2 A
440N-G02058	

Referans	Tanım
440N-G02058	
440N-G02123	güvenlik anahtarı
440N-S32016	SIPHA S11 1 NC + 1 NO - ABS PLASTIC, CABLE 10m 8538909999
440N-S32021	Guardmaster
440N-S32032	
440N-S32032 SER A	
440N-Z121S16H	
440N-Z21S16H	
440N-Z21SS2HN	SensaGuard Büyük Plastik Dikdörtgen
440N-Z2NRS1A	MC1 C2
440ON-G02058 SER B	
440P-M18002	
440P-MSLB22B	Sicherheits-Endschalter, XXX/8538909999
440R-ACABL1	Erweiterung 10-Polig Band Kabel 8544429090
440R-B23020	MSR5T Bulletin 440R
440R-B23020	MSR5T Bulletin 440R
440RC23017	GuardMaster, MSR6R/T, Monitoring Safety Relays, Automatic/Manual Monitored, 24 V AC/DC
440R-C23017	MINOTAUR MSR6R/T 24V AC/DC
440R-D23021.	(Rockwell 440R-D23021, MSR7R 24V AC/DC 2 HAND CONTROL, ZWEIHANDRELAIS MINOTAUR MSR7R MSR7C 24V AC DC EINGANG 1OEFF UND 1S SICHERHEITSAUSGANG 3S HILFSAUSGANG 1OEFF)
440R-D23166	Rockwell 440R-D23166, MSR125H 24v dc, TWO HAND RELAY MINOTAUR MSR125H MSR125HP 24D AC INPUTS 1OEFF 1S EINGANGSTASER MECHANICAL OR SERIES 800Z SAFETY OUTPUTS 2S / future as Alternative of F125x104 stock also-completely identical!!! / Successor for the no longer available F115 + E57.0 in 24VDC Ztn: 8536490099
440R-E21356	Rockwell 440R-E21356, MSR122E, ERWEITERUNGSGERÄT, 230V AC, EINGÄNGE 1OEFF ODER 2OEFF, SICHERHEITSAUSGÄNGE 6S HILFSAUSGÄNGE 1 OEFF, 100MM, ist auch neue Bez. für Tesch F112 + F122x01, 07400033
440R-EM4R2D	Guardmaster Safety Relay EMD
440R-G23029 obsolete	MSR10RD Bulletin 440R
440R-G23214	MSR142RTP Bulletin 440R
440R-J23102	440R-J23102, MSR121RT SICHERHEITSRELAIS 24VAC/DC EINGANG 1OEFF 2OEFF SCHALTMATTE ODER LICHTGITTER, AUSGANG 3S 1OEFF PNP, 75MM
440R-J23102	MSR121RT SICHERHEITSRELAIS 24VAC/DC EINGANG 1OEFF 2OEFF SCHALTMATTE ODER LICHTGITTER, AUSGANG 3S 1OEFF PNP, 75MM
440R-M23081	MSR138.1DP Bulletin 440R; Safety Relay.
440R-M23084	SAFETY RELAY, MSR138.1DP 24V, AC / DC, Time range: 0.15-3 s DE/8536490099
440R-M23088	GÜVENLİK RÖLE
440R-M23092	SAFETY RELAY, MSR138.1DP 24V AC / DC, 1.5-30 sec.

Referans	Tanim
440R-M23151	Rockwell 440R-M23151, MSR138DP 24V AC/DC, MSR138DP SICHERHEITSRELAIS ZEITVERZOEGER 24VAC DCEINGANG 10EFF 20EFF LICHTGITTERAUSGANG 2S 3S 1 5 30S VERZOEGERTFESTE KONTAKTBLOECKE45MM ist auch neuen Bez. für Tesch F138, 07400199 / auch Nachfolger von F118x04 - 24VAC/DC
440R-N23114	MİNOTAUR
440R-N23124	MSR127TP Bulletin 440R
440R-N23125	MSR127T Sicherheitsrelais 115VAC Eingänge 1 Öffner, 2 Öffner oder Lichtvorhang, Sicherheitsausgänge 3 Schließer, Hilfsausgänge 1 Öffner, Klemmen Fest, Rücksetzen Automatisch/manuell DOM/8536490099
440R-N23129	SUPPLY:24VAC/DC
440R-N23132	
440R-N23132	safety relay
440R-N23132.	MSR127T Monitoring Safety Relay 24V AC / DC power supply, screw terminals, Reset automatically / manually 1Ö/2S input contacts 3S safety contacts, 1 NC auxiliary contact 0236 kg DO/8536490099
440R-N23135	güvenlik rölesi,kontak
440R-N23135.	MSR127T Monitoring Safety Relay 24V AC / DC power supply, screw terminals, Resetting monitors / manual, 1Ö/2S input contacts 3S safety contacts, 1 NC auxiliary contact DO/8536490099
440R-P226AGS-NNR	SafeC IS3-2P MSR42-Basismodul, Start/Neustart Relais 8537109999 / CH / EAR99
440R-P4NANS	SAFECIS3-EXT-2C (MSR45E) Erweiterungsmodul 7326909890 / CH / EAR99
440R-S23174	Rockwell 440R-S23174, CU4 24v ac/dc, CU4 STEUERGERÄT MIT ZEITGEBER 24VAC DCEINGANG 10EFF 20EFF AUSGANG 2S 10EFF 0 5 10 S2 2 5MM ist auch neue Bez. Tesch F128, 07400058
440R-S845AER-NNL	SAFETY RELAY
445L-103564	SafeC 400-8C CEDES Controller
445L-R4S1440YD	GuardShield Safe4 Rx 30-1440mm
445L-T4S1440YD	GuardShield Safe4 Tx 30-1440mm
45LSP OPTIK ÇATAL SENSOR	
4M20 A 300 TYPE1	safty switch Guardmaster Titan
440K-T11202	DİLİ ANAHTARI
4M20A 300TYP1 AL 15ITH 10A 1200N	LOCKING COMPACT SWITCH
5 EN/IEC 609-5-1 - UNKNOWN PRODUCT	Traajon
500-E0D930 - UNKNOWN	Contacteurs tripolaire Allen Bradley (réf : 702-E0D93 ou 500-E0D930) 460/575V, 100HP, size 4, tension de commande de la bobine 110VAC ,2NO et 2NC
509-EOA103K SIZE-4. 3HP,3POLE,200V/40HP,230V/50HP .460-575V/100HP	
509-FOA	NEMA Full Voltage Non-Reversing Starter,SIZE 5,230-240V 60Hz,Open Type Without Enclosure, with Eutectic Alloy Overload Relay USA/8537109999
520.F.EO.	220 V. (135 A.) kontaktör

Referans	Tanım
545003 - obsolete (replaced by 440S-M545005)	Güvenlik Dedektörü için mıknatıslar
592 AZ-ME B	(57-180 A.) termik röle
5-GD2	siviç
6177R-MMAW7	Machine Mnt Non-Disp Industrial Computer
6181P-12TPXPDC	VERSAVIEW INTEGRATED DISPLAY Stück1 € € COMPUTER 12-INCH DC TWN/8471410090
6181P-15TPXPH - obsolete, no alternative	Görüntüle
6EP1334-2AA01 - THIS PRODUCT IS FROM SIEMENS.	
6EP1336-3BA10 - THIS PRODUCT IS FROM SIEMENS.	
700-HK36Z24	
700-ADR	soket için susturucu modülü
700-CF220A	IEC Industrial Relay
700-CF220D	4 POLE CONTROL RELAY
700-CF220KF	HILFSSCHÜTZ 2S, 2Ö 8536490099
700CF220ZD	Control Relay Aux.Volt:110Vdc 2NO+2NC
700-CF220ZD	HILFSSCHÜTZ 2S, 2Ö 110V DC0.585 kg CH/8536490099
700-CF220ZD	Industrial Relay
700-CF220ZD	Industrial Relay
700-CF310D	AUXILIARY CONTACTOR 3S, 1NC 0392 kg CH/8536419099
700-CF310KF	HILFSSCHÜTZ, 3S, 1Ö, 230V AC 8536490099
700-CF310ZA	HILFSSCHÜTZ, 3S 1Ö, 220V DC 8536419099
700-CF400ZD	HILFSSCHÜTZ 4Schliesser, 110V DC 0.600 kg CH/8536490099
700-CFX220ZJ - UNKNOWN CODE.	Control Relay
700DC-M220-Z3 YERINE 700-K22Z-ZS	
700DC-M400-Z3 YERINE 700-K40E-ZS	
700DCMB400	ALLEN BRADLEY - RELAY MINI-CONTROL 300VDC 5AMP MAX
700DC-P000Z24	NEMA Heavy-Duty Industrial Relay , 24V DC, Open Type Relay Rail Moun
700-FS-100JU23	AC 24..240 VAC DC 24..48 VDC
700-FSB3CU23	
700-FSB4UU23	Timing Relay
700-FSM3UU18	Elektronisches Multifunktions Zeitrelais, 1 Wechsler (1C/O), Multi-Zeitbereich, 0,05s..60h, 24..240V UC
700-FSM3UU18	TIMER 1 C/O MULTIFUNCTION
700FSM4 - UNKNOWN PRODUCT	
700-FSM4UU18	
700-FSM4UU18	

Referans	Tanim
700-FSM4UU18	Time relay; Range: 0.05S..60H 24..240V AC/DC
700-FSM4UU23	Elektronisches Zeitrelais, Multifunktional, 2 Wechsler (2 C/O), Multi-Zeitbereich 0,05s...60hr, 24...48VDC, 24...240V AC, (Gewicht 0,149 kg) CH/8536490099
700-HA33Z01	general purpose tube base rela
700-HA33Z01-3	
700-HC24Z01-4	700-HC general purpose plug-in
700-HC24Z24	700-HC general purpose plug-in
700-HK32A1	Relais, 5A, 120V AC IT/8536490099
700-HK36Z24	Steckrelais, 1 W, 24VDC, 10A Kontakt
700-HK36Z24	Steckrelais, 1 W, 24VDC, 10A Kontakt
700-HN101.	Relay Socket
700-HN103 (pack of 10 pcs)	
700-HN157	
700-HN203	
700-HN204 (pack x10)	Relay Socket
700-HN205	
700-HT12AA2	timing relay socket
700-HT3	Plug In Multifunctional Timer
700-K22Z - CAN'T ID.	contactor 110VDC 0,7A-230VAC 16A
700-K22Z-B	Miniature Control Relay
700-K22Z-ZD	Miniatur-Hilfsschütz, 2 Schließer, 2Öffner Steuerspannung 110V DC CHE/8536490099
700-K22Z-ZS	röle
700-K31Z-ZS	MCS-MINI CONTROL RELAYS SCREW TERMINALS 3 N.O. + 1 N.C. AUXILIARY CONTACTS COIL 125V DC SINGLE PACK
700-K40E-B	IEC miniature control relay
700-K40E-ZA	MCS-MINI CONTROL RELAYS SCREW
700-K40E-ZS	röle
700-M220 42V (S22Z0701) SWITCH	
700-M220-Z3 125VDC - OBSOLETE, POSSIBLE REPLACEMENT 700-K22Z-ZS	
700-M400-Z3 125 VDC - OBSOLETE, SIMILAR PRODUCT 700-K40E-ZS	
700-PMCKIT	Master Contact Cartridge Kit 700-P Relay Relay, Contact Cartridge, 20A
700S-CF440ZDC	
700-SKOZ2Z25	Solid State Relay
702-C0D93 UNKNOWN OR OBSOLETE	Contacteur tripolaire Allen Bradley (réf : 702-C0D93 ou 500-C0D930) 460/575V, 25HP, size 2, tension de commande de la bobine 110VAC, 2NO et 2NC
702-C0D93 - UNKNOWN	Contacteur tripolaire Allen Bradley (réf : 702-C0D93 ou 500-C0D930) 460/575V, 25HP, size 2, tension de commande de la bobine 110VAC, 2NO et 2NC

Referans	Tanım
702-D0D93 - UNKNOWN	Contacteur tripolaire Allen Bradley (réf : 702-D0D93) 460/575V, 50HP, size 3 tension de commande de la bobine 110VAC, 2NO et 2NC
702-D0D93 UNKNOWN OR OBSOLETE	Contacteur tripolaire Allen Bradley (réf : 702-D0D93) 460/575V, 50HP, size 3 tension de commande de la bobine 110VAC, 2NO et 2NC
702-E0D93 UNKNOWN OR OBSOLETE	Contacteurs tripolaire Allen Bradley (réf : 702-E0D93 ou 500-E0D930) 460/575V, 100HP, size 4, tension de commande de la bobine 110VAC ,2NO et 2NC
702-E0D93 - UNKNOWN	Contacteurs tripolaire Allen Bradley (réf : 702-E0D93 ou 500-E0D930) 460/575V, 100HP, size 4, tension de commande de la bobine 110VAC ,2NO et 2NC
702-F0D93 UNKNOWN OR OBSOLETE	Contacteurs tripolaire Allen Bradley (réf : 702-F0D93) ,460/575V, 200HP, size 5, tension de commande de la bobine 110 VAC, 2NO et 2NC
702-F0D93 - UNKNOWN	Contacteurs tripolaire Allen Bradley (réf : 702-F0D93) ,460/575V, 200HP, size 5, tension de commande de la bobine 110 VAC, 2NO et 2NC
765 76 2200	
800 MS-CQ24 - UNKNOWN PRODUCT	
800 MS-JX9B - UNKNOWN PRODUCT	
800 MS-JX9U - UNKNOWN PRODUCT	
800 M-XA - UNKNOWN PRODUCT	
80025-523-15 - NOT AVAILABLE	CAPACITOR: SNUBBER 0.2UF 2.4KV FUSE FOR VSD 150-CC-001 FOR VSD 150-CC-001
800-25-523-15-R - NOT AVAILABLE	
80025-742-01 - NOT AVAILABLE	CATRIDGE: DE-IONIZER D.I VSD 150-CC-001 20.00 IN LONG
80026-088-01 - NOT AVAILABLE	POWER SUPPLY UNIT: AC/DC AC/ DC PSU FOR VSD 150-CC-001 120VAC TO 56VDC
80026-173-23 - NOT AVAILABLE	POWER SUPPLY UNIT: DC/DC DC/DC PSU FOR VSD 150-CC-001 56VDC TO +24, +15V
8006738# WAK4-2-WAS4-P00	
8006818# WWAK3-0.3-WAS3/P100	
8007031 / WAK3-2/P00	(Kupferzuschlag nach DEL-Notiz 554,58 EUR,CU-Gewicht 0.0196 kg/St)
800E - CAN'T ID.	contactor ELEMENT 240VAC 10A
800E-1M	METAL ENCLOSURE GREY
800E-3X01 - obsolete	800E-3X01 artik üretilmiyor
800E3X10 - OBSOLETE	bouton poussoir
800E-A3L - OBSOLETE	bouton poussoir
800EP-LU2A0 - OBSOLETE	bouton poussoir
800F - INCOMPLETE MODEL.	
800F-120	800E-120 artik üretilmiyor
800F-15YE112	800E-15YE112 artik üretilmiyor
800F-18AE100	
800F-18AE130	
800F-18AE140	

Referans	Tanım
800F-18AE190	
800F-18AE210	
800F-18BE100	800E-18BE100 artık üretilmiyor
800F-AF4CU924	
800F-ALM (pack x10)	800-F 22,5 mm Operatörler için Montaj Mandalı, Metal -AB
800F-ALP (pack x10)	Düğme için Tabanı
800F-D5C	
800FM-F2	800 EM-F2
800FM-LE5	Drucktaster tastend, beleuchtet - erhöht, Frontelement Metall, rund, gelb
800FM-LF3	Işıklı Yeşil Basmalı Düğme Başlığı - Anlık, 800F Serisi, 22,5 mm Kesim
800FM-LF3MN3GX10	illuminated flush 800F 22 mm
800FM-LF4	Yuvarlak Kırmızı Düğme Başlığı - Anlık, 800F Serisi, 22,5 mm Kesim
800FM-LF7	Buton, Gömme, Işıklı, Anlık, Metal, Açık - AB
800FM-MT44	(40 mm twist to release 800F 22 mm)
800FM-P7	Pilot Işık, Metal, Şeffaf Lens, Sadece Operatör, 22,5 mm -AB
800F-N3G	LED 800F 22 Mm
800F-N3G	
800F-N3R	
800F-N3R	LED 800F 22 Mm
800F-N3W (pack x10)	LED GÖSTERGESİ
800F-N3W	LED 800F 22 Mm
800F-N3W	LED 800F 22 mm
800F-N7W	
800F-PD0C	800E-2DL0 artık üretilmiyor
800FP-F1	Drucktaster tastend, weiß (Gewicht 0,018 kg) 8538909999
800FP-F4	Buton
800FP-MT44	buton
800F-PN7W	800E-2TL7 artık üretilmiyor
800FP-P7	
800FP-SB32	
800FP-SL22	Selector Switch 3-Position,Auto 1.00 EACHreturn, STOPAUTO – MANUAL
800FP-SM32PX20	
800FP-SR22	
800F-X01 (pack x10)	
800F-X10	Kontaktelement, 1 Schliesser (Gewicht 0,009 kg) CH / 8536908599
800F-X10	[Std screw contact block 800F 22 mm]
800F-X11D	
800H-1HZ4C	Pushbutton enclosure 800H, 110 X 80 X 70 mm
800H-AR2A2	Black push button 800H, 2N.O
800H-FRXT6A1	Red push-pull button, Emergency,1N.O., 1N.C.
800H-MT15	Start Stop Butonu

Referans	Tanim
800H-QR10G	30mm Pilot Light 800H Push Button
800H-UR34	POTENTIOMETER, 15 kohm, NEMA 8533401090
800H-UR35	POTENTIOMETER, 20 kohm, NEMA 8533401090
800T-24HB17KB6AX	Wahlschalter, Beleuchtet, Nema
800T-24HG17KB6AX	Wahlschalter, 2-Pos., Beleuchtet, Nema
800T-A9A	DRUCKTASTER, GELB, 1S, 1Ö, NEMA
800T-B6A	DRUCKTASTER, ROT, 1S, 1Ö, NEMA
800TC-XD4S	Kontaktblock, 1Ö, verzögert, in Reihe geschaltet mit 1S zur Selbstüberwachung.
800T-FX6A1	30 mm İtme-çekme aygıt 800T PB
800T-H17B	Wahlschalter, 2-Pos. , 2S72Ö, NEMA
800T-J17B	Wahlschalter, 3-Pos., 2S/ 2Ö, NEMA
800T-J20A	
800T-QA24A	Leuchtdrucktaster, Amber, Nema
800T-QA24B	LEUCHTDRUCKTASTER, BLAU, NEMA
800T-QAH2B	800T 30mm Push Button
800T-U13	Potentiometer, 1 KOhm, Nema MEX/8533409000
800T-U29	POTENTIOMETER, NEMA 8533401090
800T-XA	
8016188	(SKPE3-10/P00)
8018198# 8MB12-5P4-K-SK	
80190-320-01 - NOT AVAILABLE	BOARD: INTERFACE ASSY CUSTOMER CIB FOR VSD 150-CC-001 150-CC-001 CUSTOMER INTERFACE BOARD
80190-380-01 - NOT AVAILABLE	BOARD: RECTIFIER ASSY SIGNAL CONDITIONING FOR VSD 150-CC-001 TESTED PRODUCTION
80190-380-02 - NOT AVAILABLE	BOARD: INVERTER ASSY SIGNAL CONDITIONING INV SCB-INV. FOR VSD 150- CC-001,TESTED PRODUCTION ASSEMBLY
80190-680-01-R	
80190-680-01-R - OBSOLETE	3-Voltage Sensing Board (VSB)
8019131	WAK8-1-WAS8/P00 Länge 1,00 m
8021862	(WAKC8K)
8021862	(WAKC8K)
8024463# FB-WAS4-5/P00	
8027529	Circular connector M12x1, 4-pole + PE
802BCSDA2XSLC3	(FNFP) ALLEN BRADLEY - COMPACT LIMIT SWITCH Factory New Factory Package (Factory Warranty)
802MC-W2B	Limit Switch Actuator
802MC-W2B	Makara kolu - korozyona dayanıklı
802R-DF	metal NEMA 4 sealed contact
802T-AP	
802T-AP	Endschalter, No
802T-W4C	Fork roller lever Bulletin 802TW™

Referans	Tanım
8034528# FSM4-WAK3-WAK3.018-1.5/1.5/P00	
8034676# FSM4-WAK3-WAK3.018-1.0/1.0/P100	
8047816	(VC22-24.4-5/S370)
8047904	ESCHA BL-WAK4-5/P00 PVC 4x0,34 Kupplung gerade 4-pol. M12 5m
81000-199-53 - NOT AVAILABLE	BOARD: SENSING ASSY VSD 150-CC-001 VSD 150-CC-001 SENSING BOARD ASSEMBLY
81000-199-53-R - NOT AVAILABLE	
81020-237-52-R - OBSOLETE	P/F: Permeate Compressor Soft Starter SGT ¼
825-MCM180	dönüştürücü
825-MCM 630	825 -P, 160..630 A (IEC) 160..434 A (UL CSA)
825-MD	SMM Smart Motor Manager Base Unit OLR
825-MMV	Medium Voltage Option Card
825-MST	Accessory Standard Option Card
836-A2	Yarı İletken basınç şalteri
836-C6	
842A-31GE - not available	
842-CH	Card Holder
842-SPA	Serial Parallel Adaptor
844D-BMBC5 FW	KODLAYICI
844D-BMBC5FW	Hollow Sahft Incremental-Encoder HS35
845-FC-T-T	Flexible Coupling, 10mm-10mm 845
845G-F3GAHP2048A	
845G-S3G8HC8192A	
845H-SJDB24CSY1C	
845H-SJDZ14DRYR5 - oboslete, no alternative	size 25 incremental encoder
849 - ZOD32	BUL . 849 SERIES B
855BS-S20DH4	90MM SURFACE MOUNT POWER SUPPLY 240V AC STEADY HALOGEN RED LENS
855T-L24	[LIGHT BULB, 24VAC/DC 8539229090/KR]
8600355	SN25.PK20-18P Zolltarif-Nr.: 85365019 Ursprungsland: DE
8600355	SN25.PK20-18P Zolltarif-Nr.: 85365019
8603915	PK26/S-00P.B4.1 Zolltarif-Nr.: 85365019 Ursprungsland: DE
8606396	IE3.2.PK28/S-64.1P.B25.1
8606397	IE3.2.PK28/S-64.OP.B29.1
8606398	IE3.MP30-64.1P
8606399	IE3.MP30-64.0P
871D-BW2N524-N3	
871TM-B4 N12-R3	
871TM-N20NP18-D4	Metal Face Inductive Sensor

Referans	Tanım
873C-DDAV1000E2	Ultrasonic Proximity Sensor 30mm, 300-1000 mm Sensing Range, Analog Output
873C-DDNP1000E2	Plastik ultrasonik sensör
88865115	Crouzet TAR1 / Lagerartikel Anzugverzögertes Zeitrelais, 20-30 VDC/20-260VAC, 22,5mm, Multizeitbereiche 0,1s- 100 h, auch Ersatz für E72.3x
88865215	(Crouzet TA2R1 / Anzugverzögertes Zeitrelais 20-30VDC/20-260VAC, 22,5mm, Multizeitbereiche 0,1s-100 h, 2 Relaisausgänge (möglicher Nachfolger für Tesch Geräte insbes. bei 2 Wechslern wie E67.3 + E72.3 +E111) Ztnr: 85364900 - FR / Gew.: 0,09 kg)
88865265.	Crouzet Elektronisches Monozeitrelais TK2R1 24 V/DC, 24VAC bis 240 V/AC; t: 0,6-2,5s; -20s-160s; 4 Zeitbereiche, 22,5 mm breit 2 rückfallverzögerte Kontakte ohne Versorgungsspannung
88865265.	24 V/DC, 24VAC bis 240 V/AC; t: 0,6-2,5s; -20s-160s; 4 Zeitbereiche 2
88865305 TU2R1 24 V/DC / 24-240 V/AC.	Crouzet Multifunktions Zeitrelais
88901302	[Crouzet MIN BOU Ansprechverzögert, 24VDC, für 22mm Durchmesser ;0,05-1 s (Nachfolgetype von 88901102 sowie E97.9x01)]
889D-F5AC-5	Electrical connection technology, straight Connection cable, DC micro connector, 5 m CHN/8544429000
889N-F3AFC-6F	
900001105 - obsolete. no replacement	PANEL VIEW PLUS LOGIC MODULE W/32MB-F LOGIC MODULE 2711-RP1 COMPLETE WITH FLASH CARD 64MB
9300-USBS	CABLE,USB LAPTOP COMMS
9303-4DTE01ENE	DriveExecutive Software
9303-4DTS01ENE	DriveTools SP Software
9324-RL0300ENE	