

Mitsubishi



Mitsubishi marka ürünler Özhat tarafından Türkiye'ye paralel ithalat yöntemi ile ithal edilmekte ve siz değerli müşterilerimize en hızlı şekilde teslim edilmektedir Mitsubishi ürünlerinden websitemizde ürün numarası yer almasa bile teklif isteyiniz ; en kısa sürede teklifimiz tarafınıza ulaştırılacaktır

Mitsubishi Ürün Listesi

Referans	Tanım
(SCM435-H) M6 ,P/N 32	Socket cap screw cyl 40 (797.08.04.032) same as 40mm
(SS400) ,P/N 31	Key plate cyl. 40 (797.08.04.031) same as 40mm
014112	CARD CONVERSION ADAPTER DUE
036005-5 FOR FK 115 D54 933 236801	AZOT OTOMATIĞI-FUEL FEED PUMP ASSYME
132 V 10A 2KW 3002 HF 203 S	Servo motor
247602 FR-D740-O22SC-EC	INVERTER
247603 FR-D740-O36SC-EC	INVERTER
247604 FR-D740-O50SC-EC	INVERTER
247605 FR-D740-O80SC-EC	INVERTER
247606 FR-D740-120SC-EC	
2MB MF32M1-M6DAPO1 CARD PRO 2000 SR02M-15-11194-CP 5024034712 654 4 STATIC	RAM CARD
3044011300(ME12788)	TANIMSIZ !
360-00950 FOR FK 115 D54 933 236801	WİRE ROPE (ANA YÜK HALATI)
364-00617 FOR FK 115 D54 933 236801	P.T.O. ŞAFTI- DRİVE SHAFT AICHİ 506
3X0060021	SERVO MOTOR AC (0.2 KW 3000 R/MİN 129V 1.3A)
41040-10190	FILTER ELEMENT
41062-02102	Mitsubishi Parts
41062-02103	FILTER ELEMENT
41062-02103/02102	
42787-03100	filtre
47403-50101	
498-00082 FOR FK 115 D54 933 236801	ALARM SWİCHT
5PS102DAB.	COMPRESSOR 1.5HP
60357-00018 QB14B54020	repair kit

Referans	Tanım
60357-00100 QB14B54010	Valf Takma, fren
60581-01400	
61363-73300	Pin Guide for Motorgrader MH-430
62625-26200	Çağrı kapmak
62663-22400	
6U-2852-301 MODEL:C210DA00501	
70020-AM005	filter kit
77269101	Piston assy
80279758-001	
9H074011	Driver fan,SIZE: 120 * 120 * 38 24 V DC
A004T40386.	alternator for Motorgrader MH-430
A1 SCPU	
A1 SY10	
A1S388	
A1SJ61BT11	
A1SMCA-2KE	
A2NCPU	CPU MODULE
A383800000	MOTOR,ELECTRIC,AC:0.75 HP,230/460VAC,3PH
A6MD 9509E AC 110/110 V 50 HZ. 85VA (DATE 9509E/BD990D213H23)	A6MD MONITOR MELSEC A DATE
A6RCON-R75	TERMINATOR
A7GT-BUS	BUS INTERFACE UNIT
A871	GOT HMI
AAD 201A 015	COMPRESSOR, 3PHASE, 400V
air filter for 2009 Model Temsa Maxus	
AJ65 BTB2-16R	
AJ65SBTB1-16D	input terminal
AJ65SBTB1-16D	kompakt tip uzaktan I/O modülü (giriş modülü)
AJ65SBTB1-16D1	INPUT MODUL
AJ65SBTB1-16T	OUTPUT MODUL
AJ65SBTB1-32D	CC-Link GİRİŞ MODÜLÜ: 32 GİRİŞ: 24 VDC negatif /
AJ65SBTB2N-16R	CC-Link ÇIKIŞ MODÜLÜ; 16 DO 240VAC; ROL ÇIKIŞI
AJ65SBT-RPT	
AMP PB 621-02020	Connector
AMP PB871- 02900	
AX10	DIGITAL INPUT MODULE
AX11	DIGITAL INPUT MODULE
AY13	DIGITAL OUTPUT MODULE
BCR30GM	TRIAC Mitsubishi

Referans	Tanım
BEARING 6304ZZ FOR: BEARINGS MODEL: ISSA GROUP 71	Comments: Buyer Part : 4180101012, Notes : AE FUEL OIL CIRCULATING
BEARING NO3132J2Q FOR: BEARINGS MODEL: ISSA GROUP 71	Comments: Buyer Part : 4180101012, Notes : MAIN SEA WATER PUMP
BEARING NO6305ZZ FOR: BEARINGS MODEL: ISSA GROUP 71	Buyer Part : 7044502053
Beijer MAC E150 E 150.03250	
BKO-C1 730-H04	sensor
CAB19/3M E1012 - FX3U	arası bağlantı kablosu
CC-LINK CABLE	ürün 400 metre dir.
CC-LINK INPUT MODULE PLC INPUT CARDS	
CM1400DU-24NF	
CM150DY	
CM150DY-24H	
CM200DY	TRANSISTOR_400V 24a
CP30-BA 2P 1M 2A	
CP30-BA 2P 1M 3A	
CP30-BA 2P 1-M 7A	7A sigorta
CP30-BA 2P 2M 2A	
CP30-BA 2P 2M 3A	
CP30-BA 2P 2M 7A	
CP30-BA-1P1M0.5A	CIRCUIT PROTECTOR
CW-40LM 1500/5A	CGPL GRINDER INVERTER PANEL FROM DRAWING CURRENT TRANSFORMER
D65UB0 40242	I/O Input-Output-CARD ROMARK:AP 800
diesel filter for 2009 Model Temsax Maxus	
DRW.CB086388-Y ,P/N 6	O-ring 24.4x3.1 G-25 cyl. 32,all parts for Fan Dampers, Hydraulic Cylinders/ Dia 32mm ,Horichu-F8-SB-1CB32B140B66-BAD-YP2N Horichu A88689
DWG-A54126-1801	LATERAL,PIPE,CSTL,50 MM LATERAL,PIPE: SIZE: 50 MM; LENGTH: 250 MM X 650 MM; CONNECTION: FLANGED; MATERIAL: CSTL; DEGREE: 30; ADDITIONAL DATA: UNIT WEIGHT 14.4 KG, FOR ASH HANDLING SYSTEM
DWG-A54126-1801, 100MM X 400MM 60C	LATERAL,PIPE,CSTL,50 MM LATERAL,PIPE: SIZE: 50 MM; LENGTH: 100 MM X 400 MM; CONNECTION: FLANGED; MATERIAL: CSTL; DEGREE: 60; ADDITIONAL DATA: UNIT WEIGHT 15.5 KG , FOR ASH HANDLING SYSTEM. MITSUBISHI DWG - A54126-1801 APPLIC: FOR ASH HANDLING SYSTEM
DWG-A54126-1801, 250MM X 650MM 30C	LATERAL,PIPE,CSTL,50 MM LATERAL,PIPE: SIZE: 50 MM; LENGTH: 250 MM X 650 MM; CONNECTION: FLANGED; MATERIAL: CSTL; DEGREE: 30; ADDITIONAL DATA: UNIT WEIGHT 14.4 KG, FOR ASH HANDLING SYSTEM. MITSUBISHI DWG - A54126-1801 APPLIC: FOR ASH HANDLING SYSTEM
E 150 03250	G&L Beijers

Referans	Tanım
E1012	OPERATÖR PANELİ
E1063	opérateur desks
EF200098	AIR FILTER
ELCB: NF250-SW 3P 200A	no fuse breaker
ELCB: NV225-WEP2P225A	earth leakage circuit breaker
ELLO1 GRAFIC TERMTNAL NO CABLE	HMI 10.4 " TFTI68836 Farben Grafikd=splyy mlt Touc8. 800xö00 P,xef. 24V De
EON400HA-H.	THYRISTOR OF TRANSFER UNIT SMU OF POWER SUPPLY (BRIOS-5020NS),GO-10725;GL- 107846 3406XPRR1641
ER17330V/3.6V	LITHIUM BATTERY
ES8-220	MAGNETIC BRAKE
F-05SVLFDR-ELB	HANDLE
F700	
FA3415ETKL.S/NO: 309013677	MONITOR - COLOR DISPLAY SUPPLY: 220-240 VAC, 50Hz, 0.75A DIMENSION: 13" WIDTH x 11" HEIGHT x 15" DEPTH. BASE: 2.5" HIGH
FAN COVER FOR MOTOR GM-SB 0.2KW 4P 1/40 200V	
FAST REBUILD / REPAIR OF YOUR MITSUBISHI FR-SF-2-5.5K SPINDLE DRIVE	http://www.ebay.com/itm/Fast-Rebuild-Repair-of-Your-Mitsubishi-FR-SF-2-5-5K-Spindle-Drive-Warranty-/160392041488?pt=LH_DefaultDomain_0&hash=item25581c5410
FA-TB32XY	PLC INPUT MODULE
FCU6-DUN33	Mitsubishi Operating Panel
FF5122	30062-6101
FFR-BS-00126-18A-SF100	
FG-7E	GLOW STARTER LAMP
FR- A740 -1.5K-CHT	
FR-A 740-00470EC NOT AVAILABLE EQUIVALENT IS FRA74000310NA	
FR-A540-18.5K-EC	convertisseur Frequency inverter FR-A540-18.5k-EC
FR-A740 132 KW Q B1490Q010	Inverter
FR-A740-00250-EC obsolete/replacement FR-A840-00250-2-60	sürücü
FRA74000310NA	(Mitsubishi InverterGeneral Purpose FRA700 Series: FRA740; 400V Output: 31 Amps Version: U.S. specification)
FR-A740-00380-EC	invertör
FR-A740-1.5K	1.5KW , INPUT:0.2-400Hz 3x400VAC , OUTPUT:0.2-400Hz 3x400VAC
FR-A740-11KW AC380-480V 50/60Hz	INVERTER
FR-A7AY	
FRABR075K	SKU 13001674724 FRABR075K (NSFP) MITSUBISHI - EXTERNAL BRAKE RESISTOR230 VOLTS New Surplus Factory Package (2 Year Warranty)

Referans	Tanım
FR-ABR-H0.4K	DİRENÇ
FR-ABR-H0.75K	DİRENÇ
FR-ABR-H5.5K	DİRENÇ
FR-AF740-03610-EC	132KW İnverter
FR-BAL-B-4.0K	
FR-BSF01	SATIR GÜRÜLTÜ FİLTRE
FRCVH22KAT	Inverter - Genel Amaçlı
FR-CV-H22K-AT-60	CONVERTER DOUBLE COATED
FR-CV-H37K	COMMON CONVERTER DOUBLE COATED
FR-CV-H37K-60	COMMON CONVERTER DOUBLE COATED
FR-D740-080-EC-3.7KW - NO LONGER PRODUCED. THE ALTERNATIVE IS FR-D740-080SC-EC	ELN CİHAZ MOTOR SÜRÜCÜ(VİNÇ)
FR-D740-080SC-EC	
FR-D740-120SC-EC	
FRF720/ F740 SERIES: FRF740; 400	InverterGeneral Purpose Output: 62 Amps Version: U.S. specification
FR-F740-O0620-EC	Inverter. Rated Pow« 30kW. 3x380-500V, Rated Current 62A, IP20 Frequency Inverter; Rated Motor Current 62A Input: 3 x 380 - 480 V, 50/60 Hz, Outputı 3 x 400 V, 0,6 - 400 Hz; 30kW
FR-F740P-18.5K	3phase motor
FR-S540-1.5-EC	inverter POWER 1,5 KW input: 5,7A
FR-SF-2-5.5K	FR-SF-2-5.5K
FX 3u32M	
FX0N-232ADP	
FX0N-65EC	Optional 650mm extension cable to extension blocks
FX1-32MTD	
FX1N-60MR-DS	
FX1N-60MR-ES/UL	
FX1S-30M	
FX2N 48ER-ES/UL	
FX2N 48MR-ES/UL	
FX2N-16EX-ES/UL	16 inputs (24V DC)
FX2N-16EX-ES/UL	PLC, FX2N modular expansion unit; 16 inputs
FX2N-16EYR	
FX2N-16EYR-ES/UL	PLC, FX2N modular expansion unit; 16 relay outputs
FX2N-2DA	PLC, FX2N analog output module; 12-bit; 2 analog outputs
FX2N-2LC 129196	module
FX2N-48ER	
FX2N-48ER-ES/UL	100-240V AC SUPPLY
FX2N-4AD obsolete/replaced by FX3U-4AD	kontrolör

Referans	Tanım
FX2N-4AD-PT	PT100 input block, 4 channel, 12 bit, 3 wire,(temperature input)
FX2N-4DA	
FX2N-8EX-ES	PLC MODULE
FX2N-8EX-ES/UL	8 inputs (24V DC)
FX2N-8EYR	
FX2N-8EYR-ES/UL	PLC, FX2N modular expansion unit; 8 relay outputs
FX2N-8EYR-ES/UL	Relay output block - 8 points
FX3G-24MR/ES	Main Unit (cpu)
FX3G-2AD-BD	Expansion Board
FX3G-40MR/DS	
FX3G-40MR/ES	PLC, FX3G base unit AC 100-240 V; 24 Input 24 V DC; 16 relay outputs
FX3G-40MR/ES-A	SKU 13030860288 NSFP) MITSUBISHI - PROGRAMMABLE CONTROLLER New Surplus Factory Package (2 Year Warranty)
FX3G-40MT/ESS	
FX3G-40WR/ES	Communication Cable
FX3G-60M/ESS	
FX3G-60MR/DS	PLC, FX3G basic unit 24 V DC; 36 Input 24 V DC; 24 relay outputs
FX3U-32M	PLC
FX3U-48MR-ES	CPU Base Unit AC 100-240V; 24 inputs DC 24V; 24 relay outputs
FX-485ADP	Communication Adapter
FXON-24 MR PC0 074-79-21961	
FXON40MRES FXON40MRES	Mitsubishi PLC MODULE 24INPUT 16OUTPUT 100240VAC
FXOPC01	SERVO VALVE INTERFACE MODULE, ANALOG INPUT : 4 ~ 20MA/DC24 POWER DISTRIBUTION x 1ch; 4 ~ 20MA x 2ch TURBINE SPEED INPUT : 0 TO 10000rpm x ch DIGITAL OUTPUT OPC OPERATED : OPEN COLLECTOR/30VDC /100MA x 4ch VALVE CLOSE COMMAND : OPEN COLLECTOR/30VDC/100MA x 4ch ALONG OUTPUT : 0 TO 5vdc x 4 ch –MONITORING SERIAL INTERFACE : EIA/RS-232(RJ45) X 1 CH POWER SUPPLY : 24VDC ±20%/80MA; 5VDC/80MA OPERATING TEMPERATURE :0 ~ 55°C DIMENSIONS: 46mmH x 92mmW x 110mmD
FXSVT 03	SERVO VALVE INTERFACE MODULE POSITION DEMAND: 0 ~ 250Ma TRANSMITTER INPUT: 4 ~ 20MA x 1 Ch ; 4 ~ 20MA/DISTRIBUTION x 1Ch OVERRIDE INPUT: 1 ~ 5 vdc x 4 Ch AUXILLARY OUTPUT: 1 ~ 5 vdc x 3 Ch STATION INTERFACE: DIGITAL INPUT x 4 Ch ; DIGITAL OUTPUT x 4 Ch ; ANALOG OUTPUT x 2Ch,DIGITAL INPUT: PHOTO COUPLER INPUT x 2Ch 24VDC/5MA SERIAL INTERFACE: EIA/RS-232C(RJ45) X 1Ch POWER SUPPLY: 24VDC ±20% /80MA ; 5VDC/80MA OPERATING TEMPERATURE : 0 ~ 55°C DIMENSIONS : 46mmH x 92mmW x 110mmD
G-34-009	
GEARED MOTOR GM-D	3.7KW 380V/50HZ 3PH 4P 1/10
GEARED MOTOR GM-D *0.4KW 4P RATIO:1/20 200V	
GEARED MOTOR GM-D 0.75KW 4P 1/30 380V 50HZ	

Referans	Tanım
GEARED MOTOR GM-D 1.5KW 4P 3PHASE	gear ratio1:1 / 100, 380V, 50Hz, 3.5A, 50r/min. Serial No.427323
GEARED MOTOR GM-DB *RATIO:1/60 0.75KW 4P 380V/50HZ 3Φ	
GM=HB-1.5KW	GEAR MOTOR GM-DB,3.7KW 380V 50HZ,1.40
GM-D 1.5KW RATIO 1/80	MOTOR GEARBOX
GM-D S/N:344435	GM-D MOTOR-BAND DRUM 3.7 KW 7.6A 150 r/min 50 HZ,380V 3PHASE, 6 AD 4 POLE GEAR RATIO 1:10 RATING S1 IP44 RULE JEC2137 SERIAL 344435..
GM-D-1.5KW 4P 16.7 RPM 3.8A 380V 50HZ 1/30 DWG PX10541	Geared motor
GM-DB (2.2 KW 380 VAC)	AC MOTOR-(3 PH 4P 2.2 kW 380 VAC GEAR=1:30 50 Hz 4,9A MOTOR)
GM-DB 0.4KW 4P 1/30 380V 50HZ	Geared motor
GM-DB 0.75KW, 4P, 1/30, 380V, 50HZ	
GM-DB 3.7KW 380V 50HZ 150RPM	Motor former
GM-DB-1.5KW-1/10	**230/400V=>incompatible. *EN standard. 400V 50HZ
GM-DB-3.7KW 380V 50HZ 1/40	
GM-DB-3.7KW-1/10, 220/400v et 50Hz obsolete	MOTOR-FORMER RPM 150, RATIO 1/10
GM-DB-3.7KW-1/15	*EN standard. 400V 50HZ **230/400V=>incompatible.
GMDFB4KW4P15	
GM-DFB 0.75KW 380V Ratio 1:10 50HZ	Motor 150R/MIN 1,95A
GM-DFB 0.75KW 4P 1/15 380V/50HZ	
GM-DFB 0.4KW 4P 3PH 1:20	*400/400/440V , 50/60/60Hz *SERIAL NO:407333
GM-DFB-0.4KW-1/20-400V- 50HZ	Geared motor
GM-DZ-0.75KW-400V	MOTOR-GEARER; Ser.No. 454209
GM-DZ-3.7KW.	1/10, 7.5A-7.8A 60Hz 400V-440V-4P 3PH.
GM-DZB 3.7KWH	GEAR MOTOR,RATIO : 1/5
GM-DZD-2.2KW	Acc: Serial nr:453274, Geared motor _ DM-DZB 2.2kw 4P 1/30 400/440V 60/60Hz
GM-EJ 0.3kW	motor 1 / 5 rotation fix.
GM-HB 1.5 KW 4P PHASE 3	Geared Motor , 220V 50 HZ GEAR RATE10 1:10 INS CLASS 8 JP 44- RULE JEC 37 SERIAL 76B06 MITSUBISHI ELECTRIC CORPRATION MADE JAPAN .
GM-HB MOTOR-0.1KW, 50-60 RPM,0.39A,3 PHASE,4 POLE., 50 HZ, 380 V	
GM-HB-0.1KW, 50-60 RPM,0.39A,3 PHASE,4 POLE., 50 HZ, 380 V	motor

Referans	Tanım
GM-J-1/2=>THIS HAS BEEN DISCONTINUED. THERE IS NO SUBSTITUTE.	GEARED MOTOR 3PH 90W 220V 1/2
GM-J-1/3	EAREMOTORGM-DB5.5KW,280VDRWNGNO PX10582
GM-J2B (51K40A-SM) 50/60RPM 50-60HZ GEAR RATIO:1:30 40W, 4P PH: 3 VOLT: 200 AMP: 0,38 A	MOTOR-GEARED
GM-J2B (0.48 A) MOTOR-GEARED 12,5/15 RPM 50-60HZ GEAR, RATIO 1:120 60W 4P PHASE:3 VOLT:200A	
GM-J2B 40W MOTOR-GEARED 4P 1/30, 200V	
GM-J2T	(40 W 4P 3 phase) MOTOR S/N: 476815
GM-J2W S/N:217517	
GM-J-40W-I:1/60	MOTOR
GM-JBT (RATIO-1:120) 60 W4 POLE 3F VOLT 200-220 V, 50/60 HZ 12.5/15 RPM (HZ-900119-012)	MOTOR-GEARED
GM-JV-B-60W-I:1/30	MOTOR
GM-L2B-0,75KW-RATIO:1:30-R/MIN	
GM-LJ (VOLT: 380 AMP: 3.2)	MOTOR-GEARED 1,5 KW GEAR SIZE: GRPM: 50 PHASE, RULE: JEC 37 4 POLE CONT.RATING HZ: 50
GM-LJ 0.75 KW.50RPM 1.85A,380V,3PHASE,4POLE., 50 HZ	MOTOR
GM-LJ 1,5 KW VOLT: 380 AMP: 3.2 GEAR SIZE: GRPM: 50 PHASE, RULE: JEC 37 4 POLE CONT.RATING HZ: 50	MOTOR-GEARED
GM-LJ- 1,5KW. 16.7 R/PM- 3.8A -380V.	GEARED MOTOR
GM-LJ 40W.-380V.-I:1/60-3P RATIO:1/60, WITH SETTING PLATE	GEARED MOTOR
GM-LJ-40W.-380V.-I:1/60-3P GEARED MOTOR, RATIO:1/60	WITH SETTING PLATE
GM-LJ-7.5KW.-380V.-I:1/30-3PG	GEARED MOTOR, 7.5KW. RATIO:1/30, 16 AMP. 50 RPM.
GM-LJB 0,4 KW-1/30	RULE : JEC 37 SERİ NO : 007738 GEARED MOTOR 5.5KW
GM-LJB=>THIS HAS BEEN DISCONTINUED. THERE IS NO SUBSTITUTE.	GEARED MOTOR 2.2KW 380V

Referans	Tanım
GM-LJB2-3.7KW=>THIS HAS BEEN DISCONTINUED. THERE IS NO SUBSTITUTE.	GEARD MOTOR 3/7KW 1/45
GM-LJB2-5.5KW	GEAR MOTOR GM-SB,1.5KW,380V 50HZ,1/15
GM-LJB-F-380V.-0.75 KW.I=1/10	GEARED MOTOR, 0,75 KW. 380 VAC./50 HZ. 4P. RATIO:1/10, 150 RPM
GM-LJFB MOTOR-GEARED (0.75 KW) MOTOR-GEARED (0.75 KW.GEAR SIZE:F .1.8A. 100 RPM 3 PHASE.4 POLE.50 H	
GM-S (0.75 KW 4P 3 PHASE)	GEARED MOTOR (0.75 KW 4P 3 PHASE GEAR RATIO 1:80 R/MIN 18.8)
GM-S 0.1KW 1/15 200V	MOTOR
GM-S 0.1KW 1/25 4P 200V	Geared motor
GM-S 0.2KW 1/20	GEARED MOTOR
GM-S 0.4 KW	Gear Motor 4P 3PHASE Thclass 120(E) Gear1:30 380V 50Hz 1.1A
GM-S -0.4KW 4P 1/10 50HZ	
GM-S 0.75KW 4P 3PH	geared unit GEAR RATIO 1:3 200V SERIAL NO. 197712
GM-S-0.1KW 1-50-200V-50HZ	GEAR HEAD
GM-S-1.1 KW. 1/50-200V-50HZ	SERVO MOTOR
GM-SB	MOTOR (0.4 KW 4P 3 PHASE GEAR RATIO 1:20 R/MIN 75) Serial Number : 581514
GM-SB	GEARED MOTOR,150R/MIN RATIO 1:10 380V 50HZ 0.61 A
GM-SB (0.2 KW) GEARED MOTOR 150R/MIN RATIO 1:10 380V 50HZ 0.61 A	
GM-SB 0.75 KW 380V 50 HZ 2.1A R/MIN 150 4P 3 PHASE TH.CLASS E GEAR RATIO:1:10	GEARED MOTOR (0.4 KW 4P 3 phase, 1:10 R/MIN 150) Serial Number: 483613
GM-SB 0.1KW 1/120 400V	geared motor
GM-SB 0.1KW 1/25 4P 200V	Geared motor
GM-SB 0.2KW 1/80	GEARED MOTOR
GM-SB 0.2KW 4P 1/40 200V	fan for motor
GM-SB 0.75 1/100 400V	GEARED MOTOR
GM-SB 01.KW	Gear Motor4P 3PHASE Thclass 120(E) Gear1:50 380V 50Hz 0.37A *EN-standard
GM-SB 1.5KW 1/20 400V	GEARED MOTOR
GMSB-0.1KW.-X4PX	GEAREAD MOTOR
GM-SB-0.2KW	I:1/20-37,5 RPM-M GEARED MOTOR-0,61A- 37,5 RPM - 380V. 50HZ.
GM-SB-1.5KW 380V 50HZ 1/15	
GM-SFB 0.1KW 4P 1/50 380V 50HZ	Geared motor; Serial No:676012
GM-SFB 0.4KW 4P 1/10 200V	gearmotor
GM-SZ 0.4KW 400V 1/15 120RPM	Gearmotor
GM-SZ-0.4KW-120RPM-400V	(Geared Motor, *Ratio:1/15, 3 phase)

Referans	Tanım
GM-SZ-0,4KW-3PH-1:30-MOTOR + REDUCER 400-440V /60HZ /1.2-1.25A /60RPM SERIAL=317710	
GM-SZ-0.4 KW-3PH-SERIAL#173718. 440-440V 160HZ	REDUCER
GM-SZB	(0.75 KW 4P 3 phase) Serial Number: 581414
GM-SZF S/N 018313	RATIO 1:25, 72 RPM GEARED MOTOR, 3 PHASE
GOT1000	Graphic Operation Terminal
GT01-C30R4-8P_RS-422	cabl (for FX series, 3m)
GT01-C30R4-SP	mod
GT1155.QSBD-C	
GT1155-QSBD GOT1000	GRAPHIC OPERATION TERMINAL
GT1572-VNBA	MITSUBISHI (166241) GRAFİK DOKUNMATİK
GT1572-VNBD	
GT15-75QBUSL	CONNECTION UNIT
GT1662-VNBA	MITSUBISHI (GRAFİK Dokunmatik terminal; 8.4"
GT1665M	
GT1665M-STBD	MITSUBISHI GRAFİK Dokunmatik terminal; 8.4"
GT1685M-STBD	MITSUBISHI 12.1 TFT RENK HMI
GT16-C02R4-9S_RS-422	conversion cable (0.2m)
GTR-GLMN-15-20-T90WC, New code:GL15N020-YTBR90WC	Motor 1300RPM
GTSOFTGOT1000-USB RT V03 1-LOC-E	
GX-Developer-CD	
HA100 NC-S	servo motor
HA103CB	Mitsubishi MotorsAC Servo AC Servo Mitsubishi MotorsAC Servo AC Servo
HA103C-S	servo motor
HA-A11KL 11KW	MOTOR
HA-FE33	servo motor
HA-LFS15K2	MOTOR
HA-LH11K2 11 KW	SERVO MOTOR
HA-LP11K2	Motor
HA-SA52	(HASA Servomotor Type: HASA series Rated Output: 500W Rated Speed: 2000 RPM Model: Standard)
HA-SH152G	AC-SERVO MOTOR + SUMITOMO HM-213-29 1,5 KW CYCLO DRIVE
HC453BSE51	
HC -RF 103 B INPUT 3AC 129V6-5A	servo motor, OUT PUT 1KW IEC 60034-1.99 MRJ 2S-500B

Referans	Tanım
HC152S-SZ	Mitsubishi MotorsAC Servo HC Series Motor Type: HC AC Servo Output Capacity: 1.5kW Rated Speed: 2000 r/min Motor Series: Standard Magnetic Brakes: No magnetic brakes (no symbol) Shaft Type: Straight Protection Type: IP65 (no symbol) Detector: none
HC203S	Mitsubishi MotorsAC Servo HC Series Motor Type: HC AC Servo Output Capacity: 2.0kW Rated Speed: 3000 r/min Shaft Type: Straight Protection Type: IP65 (no symbol) Detector: none
HC203S	(Mitsubishi MotorsAC Servo HC Series Motor Type: HC AC Servo Output Capacity: 2.0kW Rated Speed: 3000 r/min Shaft Type: Straight Protection Type: IP65 (no symbol) Detector: none NO ENCODER)
HC453S-E51	(Mitsubishi MotorsAC Servo HC Series Motor Type: HC AC Servo Output Capacity: 4.5kW Rated Speed: 3000 r/min Motor Series: Standard Magnetic Brakes: No magnetic brakes (no symbol) Shaft Type: Straight Protection Type: IP65 (no symbol) Detector: INC, 1,000,000 p/rev, OSE105S2)
HCH353BS	Mitsubishi MotorsAC Servo
HC-H453BS	
HC-KFS43	
HC-KFS43BG1 (0.4 KW) MOTOR	
HC-KFS43BG1K	
HC-KFS43G (0.4 KW) MOTOR	
HC-KFS43G1	AC SERVO MOTOR INPUT 3AC 129V 2.3A OUTPUT 400W IEC60034-1 99 3000 R<(>& <)>MIN CI.B 4.4 KG SER. NO :AB2584001 126
HC-KFS73 (0.75 KW) MOTOR	
HC-KFS73B	Mitsubishi MotorsAC Servo HCKF(S) Servomotor Type: HCKFS Series; Low inertia,small capacity,high resolution Rated Output: 0.75kW Rated speed: 3000 rpm; 200V Electromagnetic brake: with brake Reduction Gear: Without Shaft type: Standard (straight shaft) Compliance with Standard: Standard model
HC-KFS73G1	AC Servo Motor
HC-MF13-UE	
HC-MFS23	AC Servo Motor
HC-RF-103B	servo motor
HC-RFS353G2K	SERVO MOTOR
HCSF102BK	(Mitsubishi MotorsAC Servo HCSF(S) Servomotor Type: HCSF Series; Medium inertia,medium capacity Rated Output: 1.0kW Rated speed: 2000 rpm Voltage: 200V Electromagnetic brake: with brake Reduction Gear: Without Shaft type: With keyway)
HC-SF102X	MITSUBISHI SERVO MOTOR
HC-SF152G1H 1,5 KW	AC-SERVO MOTOR 1/29 + SUMITOMO CHHM 4135-29 CYCLO DRIVE
HC-SF202	SERVO MOTOR
HC-SF352 (3,5 KW)	
HC-SF352 (3,5 KW)	

Referans	Tanım
HCSF352B	Mitsubishi MotorsAC Servo HCSF(S) Servomotor Type: HCSF Series; Medium inertia,medium capacity Rated Output: 3.5kW Rated speed: 2000 rpm Voltage: 200V Electromagnetic brake: with brake Reduction Gear: Without Shaft type: Standard (straight shaft) Mitsubishi MotorsAC Servo HCSF(S) Servomotor Type: HCSF Series; Medium inertia,medium capacity Rated Output: 3.5kW Rated speed: 2000 rpm Voltage: 200V Electromagnetic brake: with brake Reduction Gear: Without Shaft type: Standard (straight shaft)
HC-SF353	Mitsubishi MotorsAC Servo HCSF(S) Servomotor Type: HCSF Series; Medium inertia,medium capacity Rated Output: 3.5kW Rated speed: 3000 rpm Voltage: 200V Electromagnetic brake: none Reduction Gear: Without Shaft type: Standard (straight shaft)
HC-SF52 (0,5 KW)	
HC-SFS 152 BK	Input 122vac 1.5kw 2000rpm
HC-SFS102B EM BREAK (1.0 KW)	
HC-SFS103 (1 KW)	3AC, 135V, 5.3A, 3000r/min.
HC-SFS202	AC Servo Motor 3AC 138V 11A 2KW 2000R/MIN
HC-SFS202G2	AC SERVO MOTOR INPUT 3AC 138V 11A OUTPUT 2KW IEC60034 2000R/MİN REDUCER SUMITOMO IB-SERIES ANFJ-L30-SV-9 SERIAL X2G06414
HC-SFS352B (obsolete - no replacement)	Motorlu _ HC-SFS352B 3.5kW 146V
HC-SFS353 3000D/D	servo motor 3000D/D
HC-SFS353B	(Servo motor *with encoder brake, 3500W)
HC-SFS502B	SERVO MOTOR 5kW
HC-SFS502B-K (5.0 KW) MOTOR	
HC-SFS502G1H (obsolete - no replacement)	1/8 SERVO MOTORLU
HD60 MAZAK D65MA004090	PULSE GENERATOR
HF-KP13	Servo motor Motornenndaten 0.32 Nm 3000 1 / dakika, 100 W, IP65
P/N: 213083 Type: HF-KE73KW1-S100	
HF-KE73KW-S100	
HF-KN43	AC Servo Motor
HF-KN73J-S100	servo motor
HF-KP23	0,2KW-3000 RPM
HF-KP43	Servo motor 1,3Nm 3000 1 / dak 400W; IP65
HF-KP43	Servo motor motor rating: 1.3 Nm 3000 1/min 400 W, IP65
HF-KP43 3000RPM	
HF-KP73	Servo motor, motor güç: 2.4 Nm 3000 1 / dakika 750 W, IP65
HF-KP73 750W 3000RPM	
HF-KP73-0.75KW-200V.-2000RPM	

Referans	Tanım
HF-SE102KW1-S100	motor
HF-SE152KW1-S100	motor
HF-SP102	Servo motor motor rating: 4,77 Nm 2000 1/min 1000 W, IP67
HF-SP102 1 KW.200	SERVO MOTOR
HF-SP102 2000RPM	
HF-SP152	Servo motor motor rating: 7,16 Nm 2000 1/min 1500 W, IP67
HF-SP152 1,5KW 2000RPM	
HF-SP1524-IEC60034	1-1,5KW INPUT:3 AC. 246V. 4,1 A. CI.F AC SERVO MOTOR
HF-SP352	Servo motor motor rating: 16.7 Nm 2000 1/min 3500 W, IP67
HF-SP352 3.5KW 2000RPM	
HF-SP502 5 KW.200	
HF-SP524B 0.5KW 2000RPM	servo motor
HF-SP52-G1H-I:1/29-0.5 KW.	SERVO MOTOR
HF-SP702	Servomotor Motornenndaten: 33,4 Nm 2000 1/min 7000 W, IP67
HF-SP702 2000RPM	
HF-SP81J(K) ENMSSP81J	INVERTER MOTOR
HG-SR152B	SERVO MOTOR 1.5KW 200VAC BRAKE 1.0
HMIGT1550-QLBD	(TouchScreen)
HR083	NC power supply/ BN 638A048H01 (MAZAK MAZATROL 640T SQT 200)
HR553 MAZAK D72MA008480	NC TERMINAL BOARD
ICTE -5W	
INDUCTION MOTOR SF-JR-0.2KW 380V 0.64A 1380RPM, 3PHASE 4P 50HZ FRAME:63	SUPERLINE THREE PHASE INDUCTION MOTOR-380 VAC 0.64 AMP, 1380 RPM, 4P, 50HZ, FRAME:63, RATING:CONT, INC CLASS:E
J2B-C1	control card for MDS-B-SVJ2-20 drives
J2B-C1 FOR MDS-C1-CV-110 MEGMDSC0700	J2B-C1(servo motor controller card) for MDS-C1-CV-110 MEGMDSC0700 (servo driver)
J2BC13 DRIVESERVOPCB CONTROL CARD FOR MDSBSVJ220	driver's control card. Code : j2b-c1
JEC-37	MOTOR
K10012D	REDUCER
K10020C	REDUCER
K12020 B	reducer
K9012 12:1	SERVO REDUCER GEAR BOX
K9012 C	reducer
K9020 C	reducer
KS-6YZ911A-P	keypad
LE-30CTN	
LE-50PAU	power supply
LF 3432	ME064352 YERİNE
LX-030TD	TENSION PICKUP

Referans	Tanım
M008T60071	Starter for Motorgrader MH-430
M8XP1, 25 ,P/N 19	Tie rod cyl. 32
MC 801709 FOR FK 115 D54 933 236801	FREN BALATASI ARKA -BRAKE LİNING AICHİ 506
MC 824081 FOR FK 115 D54 933 236801	FREN BALATASI ÖN -BRAKE LİNING AICHİ 506
MDS AXIAL DRIVER	
MDS-B-AL18.5K MAZAK D72MA006090	AC REACTOR
MDS-B-CV-185	Güç kaynağı ünitesi
MDS-B-CV-300	GÜÇ KAYNAĞI
MDS-B-CV-300)/1	
MDS-B-CVE-110	
MDS-B-SP-185 MAZAK D72MA007181	SPINDLE DRIVE
MDS-B-SP-185-obsolete - replacement - MDS-C1-SP-185	
MDS-B-SP-260 OBSOLETE	Repair; Drives-AC Spindle MDS-B-SP; Drive type: MDS-B-SP AC Spindle Drive; Speed specification: standard; Rated output capacity: 26.0kW
MDS-B-SP-260 M	
MDS-B-SPH-300	
MDS-B-SPJ2-22	Back Spindle Drive Meldas 520
MDS-BV1-10	
MDS-B-V1-20/1	
MDS-B-V1-45	Servo Sürücü Ünitesi 4.5 kW
MDS-B-V2-3520/1	
MDS-B-V2-3535 MAZAK D72MA005051	SERVO DRIVE
MDS-C1-CV-110 MEGMDSC0700	power supply
MDS-C1-CV-260	Mitsubishi DrivesAC Spindle MDSC1CV Converter/Power Supply Unit Type: MDSC1CV AC Converter/Power Supply for MDSC1 Systems Power Supply Capacity: 26.0kW Mitsubishi DrivesAC Spindle MDSC1CV Converter/Power Supply Unit Type: MDSC1CV AC Converter/Power Supply for MDSC1 Systems Power Supply Capacity: 26.0kW Replacement for MDSBCV260
MDS-C1-CV-260	Mitsubishi DrivesAC
MDS-C1-CV-370 MEGMDSC0770	POWER SUPPLY
MDS-C1-SP-185	DrivesAC Spindle MDSC1SP Drive Type: MDSC1SP AC Spindle Drive Design Revision Specification: Standard Output Capacity: 18.5kW
MDSC1SP260	Mitsubishi DrivesAC Spindle MDSC1SP Drive Type: MDSC1SP AC Spindle Drive Design Revision Specification: Standard Output Capacity: 26.0kW
MDSC1SP260	Sürücüler-AC Mil

Referans	Tanım
MDESC1SP300	Mitsubishi DrivesAC Spindle MDSC1SP Drive Type: MDSC1SP AC Spindle Drive Design Revision Specification: Standard Output Capacity: 30.0kW
MDS-C1-SPH-300	Drive Unit
MDS-C1-V1-70	EKSEN SURUCU
MDS-C1-V1-90	
MDS-D-CV-185	.Mitsubishi DrivesAC Spindle MDSDCV Converter/Power Supply Unit Type: MDSDCV AC Converter/Power Supply for MDSD Systems Power Supply Capacity: 18.5kW
MDS-D-SP-160	(DRIVER)
ME 031618 FOR FK 115 D54 933 236801	LİNER (GÖMLEK)
ME 0319381 FOR FK 115 D54 933 236801	MOTOR EMME SUPAB F 506
ME 031940 FOR FK 115 D54 933 236801	MOTOR EKSOZ SUBAP F 506
ME 032031 FOR FK 115 D54 933 236801	KRANK DİŞLİSİ-GEAR KRANK SHAFT AICHİ 506
ME 032491 FOR FK 115 D54 933 236801	PİSTON
ME 032542 FOR FK 115 D54 933 236801	PİN (PİSTON PİMİ)
ME 034501 FOR FK 115 D54 933 236801	MOTOR YAĞ POMPASI F 506
ME 035211 FOR FK 115 D54 933 236801	DEVİRDAİM-WATER PUMP AICHİ 506
ME 036781 FOR FK 115 D54 933 236801	NOZZLE (ENJEKTÖR MEMESİ)
ME 520391F 506-080162-6 FOR FK 115 D54 933 236801	BALATA - DEBRİYAJ BALATASI 506 - 080162-6
ME 621635 FOR FK 115 D54 933 236801	DEBRİYAJ ÜST MERKEZ- CLUTCH MASTER AICHİ 506
ME 623321 FOR FK 115 D54 933 236801	DEBRİYAJ ALT MERKEZ-POWER CYLINDER AICHİ 506
ME030893	Gasket over
ME031605	O-ring
ME031605 FOR FK 115 D54 933 236801	ORİNG (GÖMLEK LASTİĞİ)
ME031618	Liner, bore int. 110 mm, bore ext 125 mm
ME031874	Shim, all parts for Engine typ 6D14 ,engine serial 430588
ME031916(ME071919)	Gasket head
ME032518	Bearing main
ME032550	Bolt
ME032742	Piston
ME034652(ME078746)	Gasket oil
ME33904(ME997423)	Ring set

Referans	Tanım
ME999038 FOR FK 115 D54 933 236801	GASKET KİT (TAKIM CONTA)
ME999199 (ME996502)	Bearing
MEGMDS C0740	NC power supply MDS-C1-CV-260
MEGMRJ 20070	servo drive MR-J2-350CT
MELDAS MC442A-1	for Mitsubishi Numerical Control System FCA-335M. Model Number: BN624A814G52 - Rev A
MELSEC FX SERIES	programming cable (USB to FX)
MELSEC-FX1N-24MR-ES/UL	CONTROLLER-PC (100-240 VAC)
MF32M1-M6DAP01. obsolete	MELCARD RAM KART 2 MB
MFI-J3-100A RJ070	SERVO AMP
MG-U050T	
MH 034006 FOR FK 115 D54 933 236801	ARKA TEKER DIŞ KEÇE- OİL SEAL AICHİ 506
MH 034012 FOR FK 115 D54 933 236801	ÖN TEKER KEÇESİ -OİL SEAL AICHİ 506
MH 034047 FOR FK 115 D54 933 236801	ARKA TEKER İÇ KEÇE- OİL SEAL AICHİ 506
MH 034058 FOR FK 115 D54 933 236801	MAHRUTİ KEÇE-OİL SEAL AICHİ 506
MH 043040 FOR FK 115 D54 933 236801	ÖN TEKER DIŞ BİLYA-BEARING TAPER AICHİ 506
MH 043041 FOR FK 115 D54 933 236801	ÖN TEKER İÇ BİLYA-BEARING TAPER AICHİ 506
MHE3000 6-15-75A (obsolete with no replacement)	KODLAYICI İÇİN Servo Motor HA SA52
MITSUBISHI-MSOD-N12CX-DC24V.TH:2.1A	MAGNET CONTACTOR
MOTION CONTROLLER Q172CPUN	
MR J2 60B	Servo sürücü
MR -J3-10BS	Digitaler Sicher AC-Servoverstärker MF-J3-B,für Motornennleistung bis 100 W
MR -J3-40B	Digitaler AC Servoverstärker MR-J3-B für Motornennleistung bis 400 W
MR-ATM	
MR-BAT	
MR-E 100A-QW003	DRIVE
MR-E-100 A	
MR-E-200AG-KH003	
MR-E-70A-QW003	DRIVE
MR-H200BN	DRIVE-MOTOR
MR-H350BN	
MR-J2-10B-H	
MR-J2-200A	

Referans	Tanım
MR-J2-20B-H	
MR-J2HBUS05M	MR-J2B - MR-J2B bus cable;0.5m
MR-J2HBUS5M	MR-J2B - MR-J2B bus cable ;5m
MR-J2S-100B	AMP 1000W 200V SSCNET
Q_B1531L020 (MR-J2S-10B-EB SERVO DRIVER)	Servo amplifikatör KART
MR-J2S-200A-EB	
MR-J2S200B (İkinci el Fiyatları , GEBRAUCHT)	AMP 2000W 200V SSCNET
MR-J2S-200B	Mitsubishi DrivesAC Servo MRJ2S Drive Type: MRJ2S AC Servo Drive Rated Capacity: 2.0kW Type: SSCNET Power Supply: 200230VAC Modification: None
MR-J2S-200CP	Mitsubishi DrivesAC Servo MRJ2S Drive Type: MRJ2S AC Servo Drive Rated Capacity: 2.0kW Type: CP Power Supply: 200230 VAC Modification: None
MR-J2S-200CP-S084	Mitsubishi DrivesAC Servo MRJ2S Drive Type: MRJ2S AC Servo Drive Rated Capacity: 2.0kW Type: CP Power Supply: 200230 VAC Modification: S099
MR-J2S-200CP-S099	Mitsubishi DrivesAC Servo MRJ2S Drive Type: MRJ2S AC Servo Drive Rated Capacity: 2.0kW Type: CP Power Supply: 200230 VAC Modification: S099
MR-J2S-20B-EB	
MR-J2S-350B (İkinci el Fiyatları , GEBRAUCHT) Obsolete	AMP 3500W 200V SSCNET
MR-J2S-350B-EB	Compact servo drive 3500W; 3x200V;50Hz
MR-J2S-40A	
MR-J2S-500B (İkinci el Fiyatları , GEBRAUCHT)	AMP 5KW 200V SSCNET
MR-J2S-500B-EB	Compact servo drive 5000W; 3x200V;50Hz
MR-J2S-60B-EB (İkinci el Fiyatları , GEBRAUCHT)	AMP 600W 200V SSCNET
MR-J3100A	Mitsubishi DrivesAC Servo MRJ3 Drive Type: MRJ3 AC Servo Drive Rated Capacity: 1.0kW Type: Standard generalpurpose AC servo Power Supply: 200230 VAC
MR-J3-100A	Digital AC servo amplifier MR-J3-A for Rated Motor Power up to 1000 W
MR-J3-100A	
MR-J3-100BS	AMPLIFIER-SERVO
MR-J3-11KA	Digital AC servo drive MR-J3S-A for Rated Motor Power up to 11kW
MR-J3-200A	Digital AC servo amplifier MR-J3-A for Rated Motor Power up to 2000 W
MR-J3-200A	Digital AC servo amplifier MR-J3-A for Rated Motor Power up to 2000 W
HC-RP153	SERVO AMPLİFİKATÖR
MR-J3-200B4	SERVO DRIVER
MR-J3-350A	
MR-J3-40A	Digital AC servo amplifier MR-J3-A for Rated Motor Power up to 400 W
MR-J3-40B	SERVO DRIVE
MR-J3-700A	Digital AC servo amplifier MR-J3-A for Rated Motor Power up to 7000 W
MR-J3-70A	Digital AC servo amplifier MR-J3-A for Rated Motor Power up to 750 W

Referans	Tanım
MR-J3BAT	TOUCH PANEL
MR-JHSCBL30M-H	HA-FF-C-UE ve HC-SFencoder cabl. 30m;
MR-JN-40A	
MR-S11-103-BASE - obsolete, replaced by MR-S11-103-N	servo Amplifier
MR-S11-103-E01	
MR-S11-103-N	(Mitsubishi DrivesAC Servo AC Servo)
MR-S11-103-N	(Mitsubishi DrivesAC Servo AC Servo)
MR-S12-80A-N REPLACEMENT FOR MRS1280A	Mitsubishi DrivesAC Servo
MR-SA152 / ABSOLUTE	MITSUBISHI MAZAK MR-SA152 MELSERVO-SA AC SERVO DRIVE
MR-SA52 AC220V-50HZ 200/220V-60HZ OUTPUT:3AMP	AC SERVO MR-SA52 SUPPLY-POWER
MSOD-2-N11CX-DC24V- TH:1.3A	MAGNET CONTACTOR
MSOD-N12CX- DC24V.TH:0.35A	MAGNETIC CONTACTOR
MSOD-N12CX- DC24V.TH:0.7A	MAGNET CONTACTOR
MSOD-Q11KP	DC24V TH: 0.15A
MSOD-Q11KP (DC24V TH: 0.1A)	
MSOD-Q11KP (DC24V TH: 0.26A)	
N030C550H62	Encoder
N400 AC200V	
NB-1,5C V AC 200/220V A 0.5- 0,7 50/60 HZ	Electromagnetic Brake,Braking Toroue 15 N-m
NF32-SVF-3P-20AT- NO	FUSE BREAKER
NF400-CW	
NF63-CVF-3P-10AT-NO	FUSE KIRICI
NF63SW	BREAKER, CIRCUIT, MOLDED CASE. 2 POLE, 600 VAC, 125 VDC, 50 AMP, PANEL MOUNT, 7500/4000 AMP @ 400/440/500 VAC, 10000/5000 AMP @ 230 VAC, C/W ALARM SWITCH & PUSH TO TRIP, REAR TYPE
NF63-SW 50A 3P	
NF63-SW 63A 3P	
NFB, NF125-CW	Circuit Breaker 80A, 3P 75AT / 100AF, 3 Pole
NTN/6207LB	
NTN/6307LB	
NV125-CVF-3P-100AT- 100.200.500 MA	EARTH LEAKAGE BREAKER
NV30-FAU NO-10A	FUSE BREAKER

Referans	Tanım
NV30-FAU NO-5A	FUSE BREAKER
NV50-FHU -2P-5A	KESİCİ
Obsolete A970GOT-SBA Replaced by GT1572-VNBA Or GT1572-VNBD	HMI Screen
OBSOLETE NO REPLACEMENT !! SF-JRB FRAME 90L 1,5 KW 4P 380V 50 HZ 3.2 A 141	brake motor
oil filter for 2009 Model Temsa Maxus	
OSE105 S2	ROTARY ENCODER - J4AVUDAXP5H
OSE105S2	KODLAYICI
OSE105S2 (E51)	Mitsubishi Internal encoders Internal encoders
P/N 11	Piston rod, complete cyl. 32 including item 11, 17, 5, 1, 15, 21
P/N 22	Clevis cyl. 32
P/N 28	Y-joint cyl. 32
P/N 30	Pin cyl. 32 (797.08.04.030) same as 40mm
PAC-IF031B-E	Fremdverdampfer Anschluß-Kit
PC FXON-40MR	
PF-08RM	RELE DE TIEMPO 220 VOLTS,PF-08RM.
PLC Q02HCPU	
PLC FX2N48ER	
PM 150 SCA 060 E28AA5	
PS12038-Y2 T67FP1G	(Mitsubishi IGBT module)
PS21563	
PS21563-P	DIPIPM 600V 10Ax6 20kHz 2.5kV Vers.3 49x30.5mm Mini-DIP-Pkg.
Q B1431G010	(PLATE JOMW06T215ZZSR-FT VP15TF)
Q B14587010 MOTOR-BAND DRUM GM-D	(7.6a 150r/min 50 HZ, 380V 3Phase, 4 Pole gear ratio 1:10 Rating S1 IP44 Rula JEC2137 3,7Kw)
Q B145CG010 FX2N-16EX	(PLC MODULE)
Q02HCPU	MELSEC Q için Baskılı Devre Kartı
Q02UCPU	Programlanabilir Mantık Denetleyici
Q03UDECPU	
Q06HCPU CPU UNIT	
Q10UDEHCPU	SPS SystemQ IQ CPU Modul, 4096 EA, 9,6ns/IA_nw, 100K Schritte
Q170MCPU	Servo control CPU double coated
Q172DLX	PLC CART MODULE
Q173CPU	MODULE (MOTION)-CPU
Q173CPU MODULE (MOTION)- CPU OR Q173CPUN (C)	
Q173CPUN	Mitsubishi Motion Controller
Q173DCPU	32-axis motion controller CPU QD (SSCNET III)

Referans	Tanım
Q26UDEHCPU-CPU UNIT(COATING.)	MOTION CPU UNIT
Q312B	
Q312B 8PS SYSTEMQ HAUPTBAUGRUPPENTRSGER F0T GPUS. NETZTED UND 12 MOOEULE	
Q32CBL-3M 8P8 ANSCHLUSSKABEL FUR 37POHGE 8UCHSEN (SUB D- TYP). 3 M OFFENES ENDE	
Q35B	
Q38B	
Q612B	
P/N: 190235 Type: Q61P	
Q61P SPS SYSTEMQ NETZTE. [FOR 100-240 V AC, 5 V DO/6A AUSGANG	
Q62P	
P/N: 136371 Type: Q63P	
Q64PN SPS SYSTEMQ NEÿTE8 181 100-240 V AC, 5 V DC I 8.5 A AUSGANG	
Q68ADI	PLC CART
Q68DAVN	Dağıtıcısı PLC panel A / D kartı
QC 06B	
QC30R2	QC Serisi ile kullanılmak üzere Kablo
QD74MH8	module
QD75D4	
QG60	PLC CART
P/N: 154748 Type: QJ61BT11N	
QJ71E71-100	MELSEC Q-sereis için Baskılı Devre Kartı
QJ71LP21-25	PLC CART
QJ71PB92V	SPS Systems Profibus
QJ71WS96	
QM200HA-2H	
QO6HCPU SPS SYSTEMQ CPU MÿUL. 4096 ÿ. 34 RISSE. ANWEßUNG. 608 SCHRITTE	
QX086	Mitsubishi Part of machine
QX80	
QX81 SPS SYSTEMQ FJNGANGSMODUL; 24 V CO; 32 EÿNGßNGE. STECKER	

Referans	Tanım
QY50	
QY81P SP8 SYSTEMQ AUÿENGSMÿULÿ 12124V DC. O.IA. 32 TRANSİSTOTAUSGÿGE. STECKER	
R12MA0 07840	MOTOR // HC SF200BK-S2
R12MA010000	SERVO MOTOR
RESISTOR BRAKE FR-ABR- H1.5K F.FRA044 EXTEMAL HIGH-DUTY BRAKE RESISTOR FOR FR-A 024 S. 024,FR-E520S.	BRAKE RESISTANCE
RESISTOR BRAKE FR-ABR- H2.2K /FR-EXTERNAL HIGH- DUTY BRAKE RESISTOR FOR FR-A 044 ER. 044,FR-E-540, 240	BRAKE RESISTANCE
RESISTOR BRAKE FR-ABR- H3.7K /FR-A044 EXTERNAL HIGH-DUTY BRAKE RESISTOR FOR FR-A 044 ER. 044,FR-E-540	BRAKE RESISTANCE
RESISTOR BRAKE FR-ABR- H5.5K EXTERNAL HIGH-DUTY BRAKE RESISTOR FOR FR-E- 540,FR-A 240 E ER. 240 E. FR	BRAKE RESISTANCE
RESISTOR BRAKE FR-ABR- HO.75K/FR-A044 EXTERNAL HFGH-DUTY BRAKE RESISTOR FOR FR-A 044 ER. 044,FR-E-640	BRAKE RESISTANCE
RFA 3021-015	
RFA3021-015	SERCOS CABLE 1,5M.
RFA3051TV-030	fiber optik kablo
SB-JRF	INDUCTION MOTOR 3PHASE,0.75KW,4POLE,3.8AMP
SC09	Kablo İin Mitsubishi MELSEC USB TO RS422 ADAPTÖRÜ
SC-09	
SCT-K65H	PAPER-THERMAL, FOR MITSUBISHI MOD:P40U VIDEO COPY PROCESSOR Minimum sipariř adedi 4 adettir.
SD-N11CX-COIL:DC24V	MAGNET CONTACTOR
SD-N150-12.3S-JIS C8201-4-1- K	CONTAKTOR *without thermal
SDQ11 (DC24V 55MA)	Contactora
SD-Q12-JISC8201-4-1-JEM 1038	MAGNETIC CONTACTOR COİL *without thermal

Referans	Tanım
SEHA280 LB 63 SB	WORM GEAR UNIT
SEHA280 RB 63 SB	WORM GEAR UNIT
SE-JRFPB 1.5KW	3 PHASE INDUCTION MOTOR, 4 POLE, FRAME:90L, HZ: 50/60/60, V:400/400/440, A:3.05/2.95/2.8, R/MIN:1420/1700/1710, POWER FACTOR 0.84 RATING S2 30MİN, TH.CLASS B, RULE IEC60034-1 IP55, DATE:2008-4 SERIAL NR:RM 801001
SE-JRFPB-90L3	1,5KW-1420R/MİN 4 POLE 3PHASE INDUCTION MOTOR 50 HZ 400V 3.05A POWER FACTOR 0.84 RATING S2 30MİN TH.CLASS B RULE IEC60034-1 IP55 DATE 2008-4
SERIAL # 363350	MOTOR,ELECTRIC,AC:0.75 HP,230/460VAC,3PH
SERVO MOTOR HF-KP23B	
SF 10260	Filter SF 10260 (SAKURA)
SF-CAA BN 624 A 960G53B	carte elektronik controle variateur
SF-HR 18.5 KW 4POLE IP44 IC411	three phase induction motor
SF-HRCA-2.2KW	Motor 60Hz 380V 4P, Acc; Serial nr:BN2214004
SF-HRCA-SC 2.2KW 4P 400V 50/60HZ	MOTOR
Motor SF-JR 0.2kw 4P 400V	
SF-JR MOTOR-BT DRUM (3.7 KW) 1470 RPM, 7.4 AMP,380V, 50 HZ, 4 POLE	
SF-JR, CA-001	MOTOR,1.5KW,1430 RPM,FUNCTION:AIR COMPRESSOR
SF-JR-0,4 KW.-4P	MOTOR SERIAL : ARS111001 FRAME :71M
SF-JR-5.5KW 4P,380V/50HZ, 1430RPM	
SF-JR-B 1.5 KW	4P, 90L, 50HZ, 380V, 3.2A, 1410RPM, RATING:S1, TH CLASS: E, THREE PHASE INDUCTION MOTOR, SERIAL : BA8560001 veya BA8550001
SF-JRB FRAME 90L 1.5 KW (4P 380V 50 HZ 3.2 A 1410 R/MIN THREE PHASE INDUCTION MOTOR WITH ELECTROMAGN	
SF-JRB WITH TB-A BRAKE.*3.7KW 4P 480V 50HZ *INPUT POWER SUPPLY OF BRAKE : 360V-460V (50/60HZ)	
SF-JRCB 11KW	(11 KW)-1765RPM- 4 POLE MOTOR,(3 PHASE 380V 11 KW 4P 50 HZ 23 AMP, 1765 RPM, TB-A15, FRAME 160L) DRAWING NR: S5032819
SF-JRF	MOTOR-0.75KW, 380VAC 50HZ 4P 1.8A, 1390RPM, FRAME 80M INDUCTION
SF-JRFPB	FRAME:112M (3,7 KW) 4P 380V 50HZ 1430 R/MİN 8.3A 3 PHASE INDUCTION MOTOR
SF-JRV 0,75KW	MOTOR 380VAC 50HZ 4P 1,8A 1390RPM FRAME 80M
SF-JRV-4KW-1420 RPM	RMIN:1420-4KW
SF-JRV-7.5 KW.-4P SUPERLINE, 380 VAC. 1430 RPM.	MOTOR

Referans	Tanım
SF-JRV-7.5 KW.-4P SUPERLINE, 380 VAC. 1430 RPM	MOTOR
SF-JVR	Motor _ SF-JVR 11kw 4P 400V *rated power is 400V, not 380V.
SF-PRV 11KW 4P 380V 50Hz 160M	Motor, Drawing (BSB14-290)
SF-PRV-4P-30kW-380V	3 Phase motor Gross Weight: 290kg
SF-V5R7K 200V	Super Line Motor 7.5w, 3ph, pole
SF-V5RH7K 200V	Super Line Motor 7.5w, 3ph, pole
SF-V5RUH3K	3.7kW 363V 8.8A 52Hz Motor
SJ-286603K	MAIN SPINDLE MOTOR
SKR28HG-S	Air-Conditioning Unit Power : 1.5 Horse Power Normal Cooling Capacity : 2.6 Kw
SKU 12001716363	(AJ65SBTB116T1 (FNFP) MITSUBISHI - OUTPUT MODULE CC LINK I/O 16POINT 0.5A 12-24VDC Factory New Factory Package (Factory Warranty))
SKU 12001716475 AL224MRD (FNFP)	DC BASE UNIT15DC IN ANALOG/9 RELAY OUT
SKU 13001001451	SC09 (NSFP) BEIJER ELECTRONICS - CABLE WITH 8PIN DIN FOR MELSEC FX SERIES 2METER
S-N220	FINISHING EQUIPMENT, Magnetic Contactor
SPFC321	OIL FİLTER
SR-JR-BA6587001-IEC600341	1,5KW. 1410 R/PM. FRAME : 90L INDUCTION MOTOR
SRK28HG-S	AIR-CONDITIONING UNIT, POWER: 1.5 HORSE POWER, NOMINAL COOLING CAPACITY (MAX) :2.60KW, REFRIGERANT: R410A, POWER SUPPLY SINGLE PHASE 16A
SRK40HG-S	Air-Conditioning Unit Power : 2 Horse Power Normal Cooling Capacity : 3.6 Kw
SRM32C-M VP15TF	S.M.UÇ
SRM32E-M VP15TF	S.M.UÇ
SSA511C061B/6P.	Motor, Fan, Mitsubishi Condenser Power : 1.5 HP Voltage : 230V
ST600E	Mitsubishi SI GI transmission fi ber laser , laser optical fiber,YAG weldin g machine,D80 fiber, SMA905 connecto r
STL-BPS	
STL-BT1	
STL-DI8-V2	
STL-R02	
SWITCH MITSUBISHI REVERSE CRANE FOR FK 115 D54 933 236801	GERİ VİTES MÜŞÜRÜ MITSUBISHI VİNÇ
TB-A1,5 V DC 90-104 A 0,3- 0,35	Electromagnetic Brake,Braking Toroue 15 N-m
TB-A1.5H-171-207 VDC	
TERMINAL BOX WITH RECTIFIER	
TPGX 110304L NX2525	
TS1860N1171	LOCATOR

Referans	Tanım
TS1860N1171	
TS1860N1171	Sensor
UA-RE-AC100V	REVERSIBLE UNITE
UA-RE-DC24V	TURN RETURN UNIT
USB-SC09-FX	PLC Cable
USB-QC30R2	Q Series RS232 Programming Cable
USB-SC09	
USB-SC09-FX	PLC Cable
US-KH40SS	CONTACTOR-SOLID STATE RATED VOLTAGE 200/440 VAC, CONT. CURRENT AC1/40 AMP
US-KH40SS TELM	contact
US-N20TE	SOLID STATE CONTACTOR
VCLDD1600	PARMAK FREZE OZEL TAKIM CAP 16MM KARBUR
VNMG160412 UC5115	
W199-0004/11-OOX-1:1-1800	Bauart : 0004 Betriebslage : 1 Befestigungsseite : 1 Varianten : OOX Übersetzung : 1:1 Antriebsdrehzahl : 1800 1/min Öfüllung : Klübersynth GH6-80 Grundierung : 2-K Epoxidbasis RAL9110, weiß Lackierung : ohne X = Getriebe mit Schrägkugellagern, anstelle von Kegelrollenlagerung Hierdurch wird die Erwärmung des Getriebes reduziert. Bemerkung: Baugleich mit Getriebe Nr. #513668 Warennummer.: 8483 40 23
WD620 D21E90	FSG Angular position transmitter
YBN30-FR10	SWITCH
ZKB-2.5XN Q B1496H010 QB1496H010	powder brake
ZP3023	FUEL FILTER
FR-F740-004320-EC	sürücü
Q B1530B010 (SERVO MOTOR HC-KFS13G1-1/12 Power: 100W)	servo motor
Q B1530B020 (HC-KFS43G1- 1/12 Power: 400W)	servo motor
Q B1530B030 (HC-SFS52G1H- 1/11 Power: 500W)	servo motor
Q B1530B040 (HC-SFS 352BK POWER : 3.5 KW VOLTAGE: 146V)	servo motor
MR-J2-350B	Servo sürücü
MR-J2S-40B Obsolete	
1CH116 F94B54	MELSERVO
CM300DY-24A	
HC-SF152K obsolete	Mitsubishi MotorsAC servo
QJ71MT91	Mitsubishi elektrikli
GT1672-VNBA	Grafik ekran operatörü, 10.4" paGT1672-VNBA neli, 640x480,100 ~ 240V AC
GM-SF 0.2 KW 220V	DİŞLİ MOTOR

Referans	Tanım
FX2N-16MR-ES/UL- obsolete, replaced by FX3U-16MR/ES	
FX3U-16MR/ES	PLC ana CİHAZI
FX2N-48MT-001	
FX2N64MR-D	
FX2N-8EX	giriş Modülü
HC-SF202B	Mitsubishi MotorsAC Servo HCSF (S)
HF-SP202	
TB-50-EG	
MR-J2M-CN1TBL1M	
MR-J3ENSCBL20M-L	
MDS-B-CV-260	GÜÇ UNITE
SF-PRV 18,5KW 6P 380V 50HZ	
4124-57	İSTİNAT HALKASI
4124-17&23	MİL W / yay tutucusunun
4124-45	YAY
4122-13 &16	VALF KÖK W / SOMUN & PIN
4124-44	ÇELİK TOP
2311-56	SET VİDALI M4X0.7X20
2311-39	SET VİDALI HEX., LOKMA
POS.1314-11/21/22&23	YAĞ SLINGER
POS.1514-11/21/22&23	YAĞ SLINGER
5644-21	EXH. YAN KAİDE ASSY. Drwg. 760-06137
1811-18	KÜRESEL BRG
1811-64	YAĞ KEÇESİ
1811-19	ROLLER BRG
1811-12	TEKERLEKLİ
1813-29	O-ring
1813-34	YAĞ KEÇESİ
1313-66	AKTİF YAN THRUST BRG
2911-18.21	AMBALAJ, HALKASI
3111-11	ROTOR
3111-12	AYAR VİDASI
3111-13	KİLİDİ SOMUN
3111-14	AYAR VİDASI
POS.2311-13&14	BEZ GÖVDE-üst ve alt
2311-55	KILAVUZ PİM
2911-13.21	LABİRENT AMBALAJ
2311-51	CIVATA
2312-51	CIVATA
2312-55	KILAVUZ PİM
2312-56	CON BAŞ SET VİDALI

Referans	Tanım
2312-39	AYAR VİDASI
2314-71	AYAR VİDASI
2314-61	DURDURMA HALKASI
2551-17	AYAR VİDASI
2551-15	SET BOLT
2551-12	DESTEK ANAHTAR
2551-11	DESTEK ANAHTAR
2551-14	CIVATA
2551-16	AYAR VİDASI
2551-13.18	DESTEK ANAHTAR
2511-13	CIVATA
2511-14	ARA
2511-11.12	1.ETAP DİYAFRAMLI
2512-11.12	2ND ETAP DİYAFRAMLI
2513-11.12	3RD SAHNE DİYAFRAMLI
2514-11.12	4TH SAHNE DİYAFRAMLI
2515-11.12	5.ETAP DİYAFRAMLI
1811-14	MİLLİ
1811-73	GÖMLEK
1811-49	ROLLER ZİNCİR
1813-23	KAYDIRICI
5644-18	FINDIK
5644-23	KENDİNDEN KİLİTLEME SOMUNU
5644-19	KONNEKTÖR
5644-16	KAMIŞ
5664-65	KONNEKTÖR
5664-32	KONNEKTÖR (ALT)
5664-28	YAY TUTUCU
5664-31	KONNEKTÖR (ÜST)
1313-26	DEVİRİLİR PAD
POS.1313-11/19/27/28/35&45	YATAK KONUT KOMPLE
1313-13	YAY PIN
1313-37	Rulman kapağı altındaki ayar astar (TOP)
1313-67	AYAR LAG
1313-56	AYAR LAG
1313-75	OZZLE ADET
OSE105S	İç kodlayıcılar
MDS-A-CV-300(obsolete) (replaced by-MDSC1CV300)	Deckel DC70V için Sürücü
MDSC1CV300	Dönüştürücü / Güç Kaynağı
GM-SF 0,2 kW - 4P	dişli motoru

Referans	Tanım
HC-SFS352 (obsolete - no replacement)	SERVO MOTOR
GT1685M-STBA	MITSUBISHI GRAFİK TOUCH
MD361710	ateşleme bobini
GM-3.7CH	DİŞLİ ASSY. W / MOTOR SÜRÜCÜ
GM-55 CJ	DİŞLİ ASSY. W / MOTOR SÜRÜCÜ
A985GOT-TBA-V	
MSO-2XN11CXKP	ELEKTROMAGETİK ANAHTARI
GM-SB 0,1KW 4P 1/200	Motor
GM-DP 1,5KW	dişli motoru
GM-SB	dişli motoru
GM-DPB-0,75KW	
N26-T10-7108 P34	CONTA
04564-28000	Thacho metre
04508-01003	Kablo Fiş
VC3333002 065	servo motor
691914	Dişli motor
277008	Fren dişli motor
HC-SFS524	
CNHM-4105-11 0.5KW	Motor
HC-SFS52	
HC-SFS152K	
683315	Dişli motor
683515	Motor
RNYX63SV5 1.5KW	Motorlu şanzıman
RNHX631-SV-15 1.5KW	Motorlu şanzıman
MSO-N10CXYN	Manyetik düğme
AD71-S2 AD71S2	PLC
HC-SF152G1H 1/29	
LM110-FS DC	METRE, HIZ GÖSTERGESİ
400452	v-kayış
400464	v-kayış
HC-MF13	AC Servo Motor
HC-MF13-EC	
GM-D 3,7 kW	GEARED KOMPLE MOTOR SÜRÜCÜ
GM-D 5,5 kW	GEARED KOMPLE MOTOR SÜRÜCÜ
GM-D 2,2 kW	DİŞLİ MOTOR
GM-DP 0,75KW	
CM150DY-24A 205G,No:S47EJ9G - OEM obsolete replaced by CM150DY- 24A	

Referans	Tanım
E74HA1.5/2.2A	IGBT
MHE90K BKO-NC6800H72	KODLAYICI
MR-J2S-55KB4	ve bağ
HC-KGS73	Motor
AL2-24MR-D	kontrolör
HC-KFS73	servo motor
NF63-CW 3P 50A F	NO SİGORTA KESİCİ
TCS-05SW3W	TERMİNAL KAPAĞI
S-N25CX AC400V 2a2b	KONTAKTÖR
NF30-CS 2P 10A F	NO SİGORTA KESİCİ
TCS-03CS2W	TERMİNAL KAPAĞI
S-N10CX AC100V 1a	KONTAKTÖR
S-N25CX AC100V 2a2b	MİLİ KONTROL
S-N20CX AC100V 1a1b	KONTAKTÖR
CP30-BA 1P 21-M 7A	DEVRE KORUYUCU
MDS-BTBOX-36	AKÜ DURUM
SH21	Güç kaynağı IF kablosu
PCS100N30.0-0C3	Güç kablosu; HG-SR702, HC-SFS702 (4) için, HF-SP702 (4), yüksek esnek, 30m
BCS015S-30.0-BKS1	Fren kablo; HF-SE, SN, -SP, -JP HG-SR, yüksek esnek, gri, 30m
MR-J3BTCBL03M	Pil için Kablo, 0.3 m
GT15-J71LP23-25	İLETİŞİM MODÜLÜ
CM150DY-24A	
SF-JR	UPERLINE 3 FAZLI ASENKRON
XL-554-20Y	Motorlu Serve
ST1H-PB	Melsec st serisi kafa
ST1X4-DE1	Melsec st serisi di modülü
ST1Y2-R2	Melsec st serisi modülünü do
ST1B-E 6x4	Melsec st serisi di modül B
ST1B-E41 IR2	Melsec st serisi yapmak / modülü ai
ST1B-E4P2-H-set	Melsec st serisi baz
CP30-BA 1P 1-M 3A	Devre Protector
HA-FF33B-EC	
Puhly P 800	kontrol ünitesi
SF-PRVB 1.5KW	Fren MOTORLU RESİM NO: BD24022-A
GM-SZ	0.4 kW 1/50
HF-KP23J (166167)	SERVO MOTOR
MR-J3-20B (161498)	SERVO SÜRÜCÜ
AL2-14MR-A	Alpha 2 Mantık Modülü İle Ekran
HF-SP502 23.9NM	ENK.SER MOTOR
HA-LP22K2	SERVO MOTOR
SET067	GÜÇ SET / FREN olmadan

Referans	Tanım
TYPE:Q6 3V (CR1733-R)	AKÜ
MR-J3 3.6V 2000MAH	AKÜ
GT1150-QLBD	GRAFİK DOKUNMATİK EKRAN
HG-SR502(B)	SERVO
HG-SR152G1 1/17	SERVO
FFR-HEL-H0.4K-E	
FFR-HEL-H0.75K-E	
FFR-HEL-H1.5K-E	
FFR-HEL-H2.2K-E	
FFR-HEL-H3.7K-E (MIT10432)	400V inverter için DC reaktör
FFR-HEL-H5.5K-E	
FFR-HEL-H7.5K-E	
FR-A540-3.7k-EC (obsolete - replaced by FRA840001261N6)	transistörlü invertör
FR-A540-5.5k-EC (obsolete - replaced by FRA840001701N6)	transistörlü invertör
FR-A540-11K-EC (obsolete - replaced by FRA840003101N6)	transistörlü invertör
FX1N-60MR-DS	
SS41	rulman Adaptörü
SC46	Destek Yatakları
FX3G-40MT/DSS	FX3G Tabanı
FX1N-40MT-DSS	
FX3U-48MT-DSS	
FFR-BS-00126-18-SF100	
FX2-48MT-C OBSOLETE	transistör Birimi
FRA840001261N6	CT Inverter
FRA840001701N6	CT Inverter
FRA840003101N6	CT INVERTÖR
FRAAT24	MODEL ADAPTÖR PLAKASI
FRCVH22KAT	Inverter - Genel Amaçlı
FR-D720S-042-EC obsolete/alternative FR-D720S-042SC-EC	frekans çevirici
FR-D720S-042SC-EC (247598)	Çevirici
2HP SF-JR 380V (4P)	
HC-SFS102BG1 (obsolete - no replacement)	1/11 Servo motor
HC-SFS352G1H (obsolete - no replacement)	29/01 SERVO MOTOR
HC-SFS352BG1 (obsolete - no replacement)	1/43 SERVO MOTOR

Referans	Tanım
HC-SFS102B (obsolete - no replacement)	SERVO MOTOR
HC-SFS502 (obsolete - no replacement)	SERVO MOTOR
MDSBV23510	DrivesAC Servo
FR-BEL-5.5K obsolete no replacement	
FR-BEL- 3.7K obsolete no replacement	
SF-JRV_0.4kw	motor
A8GT-C100BS	A-BUSS BAĞLANTI KABLOSU 10m
QDJ2704	starter
TS1860N1171	Tamagawa Seiki İç kodlayıcılar
P/N: 129605 Type: QY10	
MG530 60425-40058	İletim kiti
92525-03900	SEAL PİSTON
92525-03800	SEAL PİSTON
62625-16300	YÜZÜK
61728-31600	CONTA
61725-21100	CARRİER PLANET
61725-13200	YIKAMA
61725-12400	DİŞLİ PLANET
61725-12800	PİN PLANET
05643-20100	Bilyeli yatak
62625-19400	PİN BAHAR
05641-00300	PİN BAHAR
60425-32400	Şaft autpate
F2846-08000	TOPLU İĞNE
62625-35901 62625-36101	MÜHÜR
60325-11400	BAHAR
F3200-05500	Çağrı kapmak
62625-26200 SLEEVE	
F3153-12000-F3153-13500	Oring
60314-00021	pompa
FFR-DT-25A-SS1 (MIT10459)	400V inverter için dV / dt filtreleri
FFR-BS-00380-55A-SF100	FR-A-00380 için F 00310 filtreleri
FR-BAL-B-22K	Girdi jikle 3ph, 400V, için 22kW
FFR-HEL-H22K-E	400V inverter için DC reaktör
PM30RSF 060 T85KA2A	MODÜL
FR-F740-00250-EC (MIT10095)	FR-F700
GM-D 3.7kw 1/10 380 v	Motorlu Redüktör
MR-J2-10B	Servo sürücü

Referans	Tanım
MR-J2-200CT	SÜRÜCÜ 2KW
MR-J2S-60B	
MR-J2S-10B (İkinci el Fiyatları, GEBRAUCHT)	AMP 100W 200V SSCNET
MR-J2S-70B (İkinci el Fiyatları, GEBRAUCHT) Obsolete	AMP 750W 200V SSCNET
FX3U-4AD-TC-ADP	Termokupl Giriş Modülü
FX3U-4DA-ADP	Analog Çıkış Modülü
NF63-SV 2P 15A	
F-05SV2 LF DF	
CP30-BA 1P 2-MD 3A B	
CP30-BA 1P 2-MD 1A B	
CP30-BA 2P 2-MD 3A B	
CP30-BA 2P 2-MD 2A B	
NV-L22MC 15A 30mA replaced by NV30-CS3P15A30	
TC-NVL	
NF50-SW-2P 15A	
F05SWUAR2P-LNS-2144	
TCL-05SW2WF	
TC1-CPN	
TC2-CPN	
SD-Q12 DC24V 1A1B	
SD-Q12 CX	
FX3G-40M	
F-05SV2 LF DF Y	
F-05SV2 LF DF Z	
F-05SV2 LF DR Y	
F-05SV2 LF DR Z	
F-05SV2 LF DR	
F-05SV2 LN DF	
F-05SV2 LN DF Y	
F-05SV2 LN DF Z	
F-05SV2 LN DR	
F-05SV2 LN DR Y	
F-05SV2 LN DR Z	
(MIT10008) FR-D720S-025SC- EC	FR-D700
GM-S 0.4KW 1/50 200V	MOTOR
GM-S 0.4KW 1/15 200V	MOTOR
GM-S 0.4KW 1/5 200V	MOTOR
GM-S 0.2KW 1/10 200V	MOTOR

Referans	Tanım
GM-S-0.2KW-1/15	Motor
GM-SSYF-RH 0.1KW 1/10 200V	Motor
RD3-001	
CM300DY-12E	PowerEx Transistörler
MR-J2S-350A	SERVO SÜRÜCÜ
NF125-SW	DEVRE KESİCİ 2 DİREKLERİ
NF100-SS	DEVRE KESİCİ 2 DİREKLERİ
NF225-SH	DEVRE KESİCİ 2 DİREKLERİ
MR-J2S-10A - obsolete, no replacement	AC Servo Amplifikatör
MR-JCCBL10M-L MR-J2S	Kablo kordonu
MR-JCCBL30M-H 30M	Servo kodlayıcı hattı
SR-N4XC AC 230V 3A1B	
SR-N4XC AC 24V 3A1B	
SR-N4XC AC 42V 3A1B	
UN-AX4CX 2A2B	
TYPE VF-13PM-CG	Vakum DEVRE KESİCİ
TYPE KF-100C	KONDANSER AÇMA CİHAZI
MODEL:TSBSA05	TSUBAKI ŞOK RÖLE
TYPE:USN-B	TRAFO
TH-N20 YN 9A	TERMİK AŞIRI YÜK RÖLESİ
TH-N20 0.35A	Termik aşırı akım rölesi RÖLE